

## **Structural decline in China's CO<sub>2</sub> emissions through transitions in industry and energy systems**

Dabo Guan<sup>1,2,\*</sup>, Jing Meng<sup>2,3,\*</sup>, David M. Reiner<sup>4</sup>, Ning Zhang<sup>5</sup>, Yuli Shan<sup>2</sup>, Zhifu Mi<sup>6</sup>, Shuai Shao<sup>7</sup>, Zhu Liu<sup>1,8</sup>, Qiang Zhang<sup>1</sup> and Steven J. Davis<sup>9</sup>

<sup>1</sup> Department of Earth System Science, Tsinghua University, Beijing, 150080, China

<sup>2</sup> Water Security Research Centre, School of International Development, University of East Anglia, Norwich NR4 7JT, UK

<sup>3</sup> Department of Politics and International Studies, University of Cambridge, Cambridge CB3 9DT, UK

<sup>4</sup> Judge Business School, University of Cambridge, Cambridge CB2 1AG UK

<sup>5</sup> College of Economics, Jinan University, Guangzhou 510632, China

<sup>6</sup> The Bartlett School of Construction and Project Management, University College London, WC1E 7HB, London, UK

<sup>7</sup> School of Urban and Regional Science, Shanghai University of Finance and Economics, Shanghai 200433, China

<sup>8</sup> Tyndall Centre for Climate Change Research, School of International Development, University of East Anglia, Norwich NR4 7JT, UK

<sup>9</sup> Department of Earth System Science, University of California, Irvine, Irvine, California 92697, USA

\* These authors contributed equally to this work.

1 As part of the Paris Agreement, China pledged to peak its CO<sub>2</sub> emissions by 2030. In  
2 retrospect, the commitment may have been fulfilled as it was being made: China's  
3 emissions peaked in 2013 at a level of 9.53 Gigatons of CO<sub>2</sub>, and declined in each year  
4 from 2014 to 2016. However, the prospect for maintenance of the continued reductions  
5 depend the relative contributions of different changes in China. Here we quantitatively  
6 evaluate the drivers of the peak and decline of China's CO<sub>2</sub> emissions between 2007 and  
7 2016 using the latest available energy, economic, and industry data. We find that  
8 slowing economic growth in China has it easier to reduce emissions. Nevertheless, the  
9 decline is largely associated with changes in industrial structure and a decline in the  
10 share of coal used for energy. Decreasing energy intensity (energy per unit GDP) and  
11 emissions intensity (emissions per unit energy) also contributed to the decline. Based on  
12 an econometric (cumulative sum) test, we confirm that there is a clear structural break  
13 in China's emission pattern from 2015. We conclude that the decline of Chinese  
14 emissions is structural and is likely to be sustained if the nascent industrial and energy  
15 system transitions continue.

16

17

18 China is the top CO<sub>2</sub>-emitting nation, with emissions making up nearly a third (29.5%) of  
19 the global total in 2015 <sup>1</sup>. For this reason, international efforts to stabilize the Earth's climate  
20 depend heavily upon the trajectory of Chinese emissions, and the country's recent pledge to  
21 reduce its annual emissions before 2030 has been widely celebrated <sup>2,3</sup>. Now, it is becoming  
22 clear that China may have already fulfilled this commitment: estimates made by various  
23 organizations indicate that—after more than decade of rapid growth—China's annual CO<sub>2</sub>  
24 emissions have decreased year-on-year over the period 2013-2016.

25 Although undoubtedly a watershed event, the peak of Chinese emissions prompts  
26 important questions about what factors are driving the current decrease, their relative  
27 importance, and whether or not the decline can be sustained or even accelerated. In particular,  
28 if China's emissions are have fallen primarily as a result of slowing economic activity, as  
29 happened in the U.S. during the global financial crisis <sup>4</sup>, renewed economic growth could  
30 reverse the decrease <sup>5,6</sup>.

31 Here, we assess the drivers of Chinese emissions from 2007-2016. Details of the analytical  
32 approach and data sources are provided in the *Methods* section below and Supplementary  
33 Information (SI). In summary, we update emissions inventories for China for 2000-2016  
34 using the Intergovernmental Panel on Climate Change's (IPCC) sectoral approach <sup>7</sup> and the  
35 most recently published and revised statistics from Chinese government Yearbooks. This was  
36 necessary to ensure consistency and sufficient sectoral detail, and because the underlying  
37 Chinese data has been repeatedly updated and revised. We use Index Decomposition Analysis  
38 (IDA) to quantitatively evaluate the relative influence of eight socioeconomic factors on  
39 China's energy-related emissions. We then perform a cumulative sum test to investigate  
40 whether there has been any structural change in China's recent emissions patterns.

41 ***Trends in China's emissions, energy consumption and economic activity.*** The red curve  
42 in Fig. 1a shows our estimates of Chinese emissions from 2000-2016, with other curves  
43 exhibiting similar emissions similar trends from five other prominent sources for comparison  
44 (see *Methods* for a more detailed comparison). China's emissions grew at an average annual  
45 rate of 9.3% between 2000 and 2013, from ~3.0 Gt in 2000 to a peak of 9.5 Gt CO<sub>2</sub> in 2013  
46 (Fig. 1a). Emissions then declined by 1.0%, 1.8% and 0.4% in 2014, 2015 and 2016,  
47 respectively, reaching 9.2 Gt CO<sub>2</sub> in 2016 (8.5 Gt from fossil fuel combustion and 0.7 Gt  
48 from industrial processes).

49 Fig. 1b shows contemporaneous trends in China's economic growth (green curve) and  
50 carbon intensity (purple curve): GDP growth has been rapid and monotonic, outpacing the  
51 growth of CO<sub>2</sub> emissions since 2007. As a result, the carbon intensity of the Chinese economy  
52 declined by 27% between 2000-2016 (Fig. 1b). As we will show, such decreases in emissions  
53 intensity hint at the underlying changes in China's industrial structure and energy efficiency.  
54 Meanwhile, Figure 1C shows that China's energy consumption has continued to increase over  
55 the same period, but at a decelerated rate after 2011. Moreover, energy from fossil fuels  
56 (areas shaded red, orange and yellow in Fig. 1c) has been essentially flat since emissions  
57 peaked in 2013, and the increase in total consumption 2014-2016 has been met by non-fossil  
58 sources (green shading in Fig. 1c).

59 Based on our decomposition analysis, Fig. 2 shows the relative and absolute contribution  
60 of each of eight socioeconomic factors on Chinese energy-related CO<sub>2</sub> emissions: (1)  
61 population growth (dark blue); (2) economic growth (green); changes in the shares of Chinese  
62 energy supplied by (3) coal (light blue), (4) natural gas (yellow), and (5) oil (purple); (6)  
63 changes in the quality of fossil fuels burned (i.e. fuel-specific changes in CO<sub>2</sub> emissions per

64 unit energy; orange); (7) changes in energy intensity (i.e. energy consumed per unit of GDP;  
65 red); and (8) changes in industrial structure (i.e. the relative contributions of different types of  
66 industry to GDP). In order to facilitate presentation and discussion, we subdivide the results  
67 from 2007-2016 into three 3-year periods.

68 ***Growing emissions 2007-2010 and 2010-2013.*** Between 2007 and 2013, the 40.9%  
69 increase in Chinese emissions was dominated by strong economic growth (Fig. 2, green bars),  
70 which—in the absence of other factors—would have caused emissions to increase by 29.3%  
71 and 24.6% during the periods 2007-2010 and 2010-2013, respectively. The next most  
72 important driver of increasing emissions during this time frame was the increasing quality of  
73 fuels, and particularly coal, being burned in China (Fig. 2, orange bars). Higher quality coal  
74 (i.e., anthracite) contains greater carbon by mass, which results in more CO<sub>2</sub> emissions per ton  
75 of fuel burned than does lower quality coal (i.e., brown coal) <sup>2</sup>. Independent of other factors,  
76 changes in fuel quality led to emissions increases of 12.5% and 5.4% during the periods 2007-  
77 2010 and 2010-2013, respectively. Population growth also pushed Chinese emissions upward  
78 steadily during these time periods, by 1.6% in both 2007-2010 and 2010-2013 (Fig. 2, blue  
79 bars). Changes in the share of energy provided by oil and natural gas also caused small  
80 increases in emissions 2007-2010 and 2010-2013, respectively (Fig. 2, purple and yellow  
81 bars).

82 During 2007-2013, when total Chinese emissions were increasing, several factors also  
83 acted to decrease emissions, effectively restraining the growth rate. Between 2007-2010, the  
84 most important of these was changes in energy intensity (energy consumed per unit GDP),  
85 which—in the absence of other factors—would have caused emissions to decrease by 15.4%  
86 (Fig. 2, red bars). Although changing energy intensity continued to suppress emissions growth  
87 between 2010 and 2013, its influence during those years waned substantially, to a 3.2%  
88 decrease. Conversely, changes in China's industrial structure accounted for only a modest  
89 decreasing force 2007-2010 (1.1%), but gained strength over the period 2010-2013, when it  
90 drove emissions down by 7.3% (Fig. 2, pink bars). Decreases in the share of China's energy  
91 derived from coal also acted to reduce emissions by 6.2% and 1.1% during the periods 2007-  
92 2010 and 2010-2013, respectively (Fig. 2, light blue bars). Similar changes in the share of  
93 energy provided by natural gas and oil were responsible for small declines in emissions over  
94 2007-2010 and 2010-2013, respectively (Fig. 2, yellow and purple bars).

95 ***Decreasing emissions 2013-2016.*** Chinese CO<sub>2</sub> emissions have declined since 2013 and a  
96 cumulative sum (cusum) test indicates that this decline is a structural change (Fig. 1d and  
97 Supplementary Table 3). We examined the energy related industrial emissions from 2000 to  
98 2016. Although the emissions show turning points around both 2008 and 2013, the cusum test  
99 suggests that only the change from 2015 (at 95% confidence interval) is structurally  
100 significant. This evidence of structural change reflects changes in the driving forces during  
101 2013-2016 having a more significant impact on the change in industrial CO<sub>2</sub> emissions than  
102 that in other periods. Between 2013 and 2016, the 4.2% decrease in Chinese emissions was  
103 driven by the combination of changes in industrial structure, and further decreases in both the  
104 share of energy derived from coal and the energy intensity of China's economy (Fig. 2, pink,  
105 light blue, and red bars, respectively). In the absence of other factors, these three factors  
106 would have caused emissions over 2013-2016 to decrease by 10.0%, 7.8%, and 5.1%,  
107 respectively (22.9% in total). In addition, Chinese economic growth 2013-2016 was  
108 somewhat slower than in the previous analyzed periods, driving emissions up by 18.2% (6.4%  
109 less than in the period 2010-2013; green bars in Fig. 2). 2013-2016 population growth

110 continued to push emissions upward at the same pace as in the two previous 3-year periods  
111 (1.6%; blue bars in Fig. 2), and changes in the share of energy derived from natural gas and  
112 oil exerted a very small influence (+0.1% and -0.2%, respectively; yellow and purple bars in  
113 Fig. 2). Finally, the quality of fuels being burned in China declined over 2013-2016,  
114 contributing to a small decrease in overall emissions (1.0%; orange bar in Fig. 2).

115 Fig. 3 reveals further details underlying the decreases due to changes in industrial  
116 structure, coal consumption, and energy intensity during 2013-2016. Fig. 3a highlights the  
117 shift in China's industrial outputs over 2013-2016, away from energy- and emissions-  
118 intensive manufacturing towards higher value-added (e.g., high technology) manufacturing  
119 and services. Such high-technology manufacturing and services have been the main source of  
120 growth in the Chinese economy in recent years, accounting for 71.9% of total value added in  
121 2016, up from 64.4% in 2007. Service industries' value added increased from 46.9% of  
122 national GDP in 2013 to 50.5% in 2015 and 51.6% in 2016, thus reaching its largest  
123 proportion of the Chinese economy since 1952. Meanwhile, output from China's heavy  
124 industry has declined progressively, decreasing at an annual rate of 2.7% prior to 2013 and  
125 accelerating to an average annual decrease of 6.9% 2013-2016 <sup>8</sup>.

126 Fig. 3b reveals the sectors that have accounted for the drop in Chinese coal consumption  
127 over 2013-2016. Whereas coal consumption in China grew by an average of 6.6% per year  
128 between 2007 and 2013, supporting a tremendous expansion of capital infrastructure, coal  
129 consumption peaked at 4.2 Gt in 2013 and declined by an average of 5.6% per year 2013-  
130 2016. The largest decreases in coal consumption occurred in the electricity sector, which  
131 accounted for 81.7% of the total reduction between 2013 and 2016 (pink bar in Fig. 3b).  
132 Other energy-related sectors, the coal washing and coking, together accounted for 21%  
133 (purple and green bars in Fig. 3B, respectively).

134 Importantly, the reduction in coal consumption occurred despite continued growth of total  
135 energy consumption by 2.2%, 0.9% and 1.1% in 2014, 2015 and 2016, respectively (Fig. 1c).  
136 As coal use decreased, rising energy demand was met by rapid growth of renewable and  
137 nuclear energy, which increased at an average annual rate of 10.5% per year 2007-2013, and  
138 11% 2013-2016. Although increasing from a small base (8% of total energy consumed in  
139 2002), persistently high growth rates have led to non-fossil fuel energy supplying 13.3% of  
140 China's energy in 2016. Meanwhile, coal's share in the energy mix was essentially constant at  
141 ~68% 2007-2013, then dropping to 62% in 2016 (Fig. 1c).

142 The structural trends in China's economy have been reinforced by contemporaneous  
143 improvements in efficiency and thereby decreasing energy intensity. Fig. 3 shows some of the  
144 sectoral changes between 2013 and 2016. In particular, output from the metal products,  
145 coking, and chemical products sectors decreased while "other industries" (including the high  
146 technology and service industries) increased substantially (Fig. 3a). Also shown, the  
147 decreases in coal consumption over this timespan were largely in the electricity and coal  
148 washing sectors, with modest increases in consumption by the "other industries" and chemical  
149 products sectors (Fig. 3b). Finally, there were large decreases in energy per unit output of the  
150 "other industries", cement, bricks, and glass, coal washing, and electricity sectors 2013-2016,  
151 offset to some extent by increases in the energy intensity of coking and metal products (Fig.  
152 3c).

153

154 *Maintenance of the lower emissions.* After nearly two decades of rapidly rising emissions,  
155 a changing industrial structure, shifting energy mix, improving energy efficiency, and  
156 economic deceleration caused Chinese emissions to peak at 9.5 Gt CO<sub>2</sub> in 2013 and decline  
157 by 4.2% in the years since. As the world's top emitting and manufacturing nation, this  
158 reversal is cause for cautious optimism among those seeking to stabilize the Earth's climate.  
159 Although some emissions inventories show the peak occurring a year earlier or later,  
160 sensitivity testing of our decomposition analysis shows the relative contributions of the  
161 different drivers are consistent and robust (Fig. 2). Now, the important question is whether the  
162 decline in Chinese emissions will persist.

163 On the one hand, commentators have argued that the timetable of China's peak emissions  
164 pledge was not very ambitious<sup>9,10</sup>. For example, Green and Stern (2016)<sup>11</sup> argue "China's  
165 international commitment to peak emissions 'around 2030' should be seen as a highly  
166 conservative upper limit from a government that prefers to under-promise and over-deliver."  
167 But on the other hand, a 2013 peak is far sooner than anyone thought possible when Chinese  
168 President Xi Jinping first made the pledge in 2014.

169 Moreover, history suggests caution is warranted in concluding that the reversal in  
170 emissions will hold over the long term: Although the shift towards services and away from  
171 more energy-intensive manufacturing is unambiguous<sup>11</sup>, China's economic growth has  
172 decelerated twice before. Most recently, after double digit growth from 1992-1996, China's  
173 economy slowed during the East Asian economic crisis, when growth fell to an average of 8%  
174 for the four years 1998-2001 before accelerating again by the mid-2000s. Similarly rapid  
175 economic growth in the mid-1980s dropped dramatically to 4% between 1989 and 1991  
176 before accelerating again in the 1990s<sup>12</sup>. Chinese emissions were essentially flat in 2016 (-  
177 0.4%), and—all other factors staying the same—a slight acceleration of economic growth  
178 (e.g., from 6.7% in 2015 to 7.1% in 2016) would have caused an increase in total emissions  
179 (in reality, the Chinese economy grew by 6.7% in 2016).

180 The changes in China's economic structure that have led to the recent decline are the result  
181 of consistent and strategic policies to improve industry structure<sup>9,13,14</sup>, especially after 2010,  
182 which is consistent with previous studies<sup>15,16</sup>. More efforts have been made in recent years.  
183 From 2012 to 2015, China eliminated outdated capacity in 16 energy-intensive industries. For  
184 example, coal-fired power generation capacity declined by 21.1 GW (gigawatts), as well as  
185 reductions of 520 Mt (million tonnes) in coal production, 126 Mt in iron and steel processing  
186 and 500 Mt of cement<sup>17</sup>. These structural changes have been reinforced by policies aimed at  
187 improving air quality and boosting deployment of low-carbon energy sources<sup>18</sup>. For example,  
188 the Chinese government has strictly limited development of new coal-fired power plants since  
189 2013. Air quality policies have also encouraged more efficient use of coal, such as by phasing  
190 out older, smaller coal-fired power plants<sup>18</sup>.

191 However, recent progress in China, such as the retirement of small, old, and especially  
192 inefficient plants, offers a one-time decrease in emissions that is not easily repeated. The  
193 majority of coal-fired power plants now operating in China are large, modern power plants  
194 that have been built since the mid-1990s<sup>19</sup> and investments in coal-fired plant seem to have  
195 declined significantly from 2015 to 2017<sup>20,21</sup>. Thus, further emissions reductions may  
196 increasingly depend on overcoming considerable infrastructural inertia by replacing valuable,  
197 young generators that burn coal with non-fossil electricity. Escaping carbon lock-in may  
198 therefore test the political will of China's central government<sup>22,23</sup>.

199        Nonetheless, government policies are a sign that the nascent decline in China’s emissions  
200 will continue. China’s seven local and regional pilot carbon market schemes will be replaced  
201 by a nationwide emissions trading scheme in 2018<sup>24</sup>. China has also pledged to improve  
202 national energy intensity during 2015-2020<sup>25</sup>, which will further translate to emissions  
203 reduction in coming years<sup>25</sup>. Moreover, in response to the U.S. withdrawal from the Paris  
204 Agreement, China has increasingly assumed a leadership role in climate change mitigation,  
205 and its five-year progress reports under the agreement will be heavily scrutinized by the rest  
206 of the world.

207        Besides climate, energy security and public health goals will discourage coal consumption.  
208 Although China still produces almost 4 billion tons of coal a year (over three times that of the  
209 United States, the next largest producer), it also imports more coal than any other country,  
210 prompting concerns of energy independence and security<sup>26</sup>. At the same time, rising incomes  
211 in major cities and concerns about the health impacts of poor air quality can be expected to  
212 close any remaining older coal-fired boilers and encourage a shift to natural gas, particularly  
213 in regions such as Southern and Eastern China that are both more affluent and more reliant on  
214 imported coal<sup>27</sup>.

215        Other policies cut in both directions. For example, the One Belt One Road policy  
216 emphasizes both public transport infrastructure and road transportation, and seeks to export  
217 coal technologies to neighbors such as Pakistan. As a result, growth in personal transportation  
218 could lead to large increases in emissions over the next decade (as evidenced by the growth in  
219 new and cheap produced SUV sales at recent low retailing prices)<sup>28</sup>. However, over the longer  
220 term, electric vehicles may avoid such emissions, assuming the availability of low-carbon  
221 electricity<sup>29</sup>.

222        China’s emissions may fluctuate in the coming years and that may mean that 2013 may not  
223 be the ‘final’ peak<sup>30</sup>. For example, extrapolating from data for the first six months of 2017,  
224 Jackson et al. argue that Chinese CO<sub>2</sub> emissions (including cement) may rise for all of 2017<sup>31</sup>.  
225 However, the changes in industrial activities, coal use, and efficiency that have caused the  
226 recent decline have roots in the changing structure of China’s economy and long-term  
227 government policies. The recent Chinese policy directive to cap coal at 4 billion metric tonnes  
228 per year requires its proportion in the energy mix to decrease from 64% in 2015 to around  
229 58% by 2020. Such pressures suggest that the downward trend in emissions could persist as  
230 China’s economy shifts from heavy and low-value manufacturing to high-technology and  
231 service industries. Both emissions and their underlying drivers will need to be carefully  
232 monitored, but the fact that China’s emissions have decreased for several years—and more  
233 importantly the reasons why—give hope for further decreases going forward.

## 234    **References**

- 235    1.    Boden, T. A., Marland, G. & Andres, R. J. *Global, Regional, and National Fossil-Fuel CO<sub>2</sub>*  
236        *Emissions*. Oak Ridge National Laboratory, U.S. Department of Energy.  
237        [http://cdiac.ornl.gov/CO<sub>2</sub>\\_Emission/timeseries/national](http://cdiac.ornl.gov/CO2_Emission/timeseries/national) (2016).
- 238    2.    Liu, Z. *et al.* Steps to China’s carbon peak. *Nature* **522**, 279-281 (2015).
- 239    3.    Wang, X. & Zhang, S. Exploring linkages among China's 2030 climate targets. *Clim Policy*  
240        **17**, 458-469 (2017).
- 241    4.    Feng, K., Davis, S. J., Sun, L. & Hubacek, K. Drivers of the US CO<sub>2</sub> emissions 1997–2013.  
242        *Nature Communications* **6**, 7714 (2015).

- 243 5. Jackson, R. B. *et al.* Reaching peak emissions. *Nature Climate Change* **6**, 7-10 (2015).
- 244 6. Peters, G. P. *et al.* Key indicators to track current progress and future ambition of the Paris  
245 Agreement. *Nature Clim. Change* **7**, 118-122 (2017).
- 246 7. IPCC. *IPCC Guidelines for national greenhouse gas inventories*. (Institute for Global  
247 Environmental Strategies (IGES), 2006).
- 248 8. National Bureau of Statistics of the People's Republic of China. *China Statistical Yearbook*  
249 *1998-2016* (China statistics press, 1998-2017).
- 250 9. Mi, Z. *et al.* Pattern changes in determinants of Chinese emissions. *Environ. Res. Lett.* **12**,  
251 074003 (2017).
- 252 10. He, J. Analysis of CO<sub>2</sub> emissions peak: China's objective and strategy. *Chinese Journal of*  
253 *Population Resources and Environment* **12**, 189-198 (2014).
- 254 11. Green, F. & Stern, N. China's changing economy: implications for its carbon dioxide  
255 emissions. *Climate Policy*, 1-15 (2016).
- 256 12. Hubacek, K., Guan, D. & Barua, A. Changing lifestyles and consumption patterns in  
257 developing countries: A scenario analysis for China and India. *Futures* **39**, 1084-1096  
258 (2007).
- 259 13. West, J. J. *et al.* Co-benefits of mitigating global greenhouse gas emissions for future air  
260 quality and human health. *Nature climate change* **3**, 885 (2013).
- 261 14. Mi, Z. *et al.* Chinese CO<sub>2</sub> emission flows have reversed since the global financial crisis.  
262 *Nature communications* **8**, 1712 (2017).
- 263 15. Qi, Y., Stern, N., Wu, T., Lu, J. & Green, F. China's post-coal growth. *Nat. Geosci.* **9**, 564-  
264 566 (2016).
- 265 16. Guan, D., Peters, G. P., Weber, C. L. & Hubacek, K. Journey to world top emitter: An  
266 analysis of the driving forces of China's recent CO<sub>2</sub> emissions surge. *Geophys. Res. Lett.* **36**,  
267 L04709 (2009).
- 268 17. National Bureau of Statistics of the People's Republic of China. New Pattern of energy  
269 development, new achievement of energy saving.  
270 [http://www.stats.gov.cn/tjsj/sjjd/201707/t20170707\\_1510973.html](http://www.stats.gov.cn/tjsj/sjjd/201707/t20170707_1510973.html). (2017).
- 271 18. Zhang, Q., He, K. & Huo, H. Policy: cleaning China's air. *Nature* **484**, 161 (2012).
- 272 19. Minx, J. C. *et al.* A "carbonizing dragon": China's fast growing CO<sub>2</sub> emissions revisited.  
273 *Environmental science & technology* **45**, 9144-9153 (2011).
- 274 20. Edenhofer, O., Steckel, J. C., Jakob, M. & Bertram, C. Reports of coal's terminal  
275 decline may be exaggerated. *Environ. Res. Lett.* **13**, 024019 (2018).
- 276 21. Shearer, C., Ghio, N., Myllyvirta, L., Yu, A. & Nace, T. *Boom and Bust: Tracking the*  
277 *Global Coal Plant Pipeline* (CoalSwarm, Greenpeace USA, Sierra Club, 2017).
- 278 22. Davis, S. J. & Socolow, R. H. Commitment accounting of CO<sub>2</sub> emissions. *Environ. Res.*  
279 *Lett.* **9**, 084018 (2014).
- 280 23. Seto, K. C. *et al.* Carbon lock-in: Types, causes, and policy implications. *Annual Review*  
281 *of Environment and Resources* **41**, 425-452 (2016).
- 282 24. Guan, D., Shan, Y., Liu, Z. & He, K. Performance Assessment and Outlook of China's  
283 Emission-Trading Scheme. *Engineering* **2**, 398-401 (2016).



- 284 25. Hu, A.-G. The Five-Year Plan: A new tool for energy saving and emissions reduction in  
285 China. *Advances in Climate Change Research* **7**, 222-228 (2016).
- 286 26. International Energy Agency. Coal Information 2016. <http://www.iea.org/bookshop/722>  
287 [Coal\\_Information\\_2016](http://www.iea.org/bookshop/722). (2016).
- 288 27. Sheehan, P., Cheng, E., English, A. & Sun, F. China's response to the air pollution shock.  
289 *Nature Climate Change* **4**, 306-309 (2014).
- 290 28. Wiedenhofer, D. *et al.* Unequal household carbon footprints in China. *Nature Clim. Change*  
291 **7**, 7580, (2017).
- 292 29. Hofmann, J., Guan, D., Chalvatzis, K. & Huo, H. Assessment of electrical vehicles as a  
293 successful driver for reducing CO<sub>2</sub> emissions in China. *Appl. Energy* (2016).
- 294 30. Zheng, H. *et al.* How modifications of China's energy data affect carbon mitigation targets.  
295 *Energy Policy* **116**, 337-343 (2018).
- 296 31. Jackson, R. *et al.* Warning signs for stabilizing global CO<sub>2</sub> emissions. *Environ. Res. Lett.* **12**,  
297 110202 (2017).

298

299

300 **Acknowledgments.** This work was supported by the National Natural Science Foundation of China  
301 (41629501), National Key R&D Program of China (2016YFA0602604 and  
302 2016YFC0206202), National Natural Science Foundation of China (71373153, 91746112, 71773075,  
303 71761137001 and 71503168), National Social Science Foundation of China (15ZDA054), the UK  
304 Natural Environment Research Council (NE/N00714X/1 and NE/P019900/1) and Economic and Social  
305 Research Council (ES/L016028/1), British Academy Grant (AF150310) and the Philip Leverhulme  
306 Prize.

307

308

309 **Author Contributions** D.G., D.M.R and S.J.D. conceived the study. D.G. led the study. Y.S. and Z.M.  
310 provided energy and emission data. J.M. performed decomposition analysis. N. Z. and S.S performed  
311 the econometric analysis. All interpreted the data results and wrote the paper.

312

313 **Author Information** Correspondence and requests for materials should be addressed to J.M.  
314 ([jm2218@cam.ac.uk](mailto:jm2218@cam.ac.uk)), N.Z ([zn928@naver.com](mailto:zn928@naver.com)), S.S ([shao.shuai@sufe.edu.cn](mailto:shao.shuai@sufe.edu.cn)), and S.J.D.  
315 ([sjdavis@uci.edu](mailto:sjdavis@uci.edu)).

316

317 **Competing interests:** The Authors declare no Competing Financial or Non-Financial Interests.

## 318 **Figure captions**


319

320

321 **Figure 1. Temporal change of CO<sub>2</sub> emissions and related indicators in China from 2000 to 2016.** (a) Total  
322 carbon emissions from combustion of fossil fuels and cement production from different sources (EIA<sup>32</sup>, IEA<sup>33</sup> and  
323 BP<sup>34</sup> estimates exclude emissions from cement production); (b) GDP and CO<sub>2</sub> emission intensity; (c) Total energy  
324 consumption by fuel; (d) Recursive cumulative sum plot of CO<sub>2</sub> emissions from different sources. The recursive

325  
326


cusum results for *this study* is the result of energy-related CO<sub>2</sub> emissions. If the plot of the recursive cusum process crosses the confidence bands, indicating a significant structural break in that period.



327  
328

329  
330  
331




**Figure 2. Contribution of each driver to the change in national CO<sub>2</sub> emissions in the periods 2007-2010, 2010-2013 and 2013-2016. The length of the bar reflects the contribution of each factor per year. The error bar of each column is based on the range of the decomposition results of emissions from EIA, IEA and BP statistics.**



332

333 **Figure 3. Sector-specific changes from 2013 to 2016 in China.** (a) change in sectoral contribution to national  
 334 GDP, (b) coal consumption and (c) energy intensity (energy per unit of output, unit: t/\$). Different color bars  
 335 represent the main contributing sectors. Percentage above each bar in (b) is the sectoral contribution to the total  
 336 change in coal consumption from 2013 to 2016.

337



## 339 Methods

340 **Emissions Estimates and Data Sources.** The national CO<sub>2</sub> emissions used in this study  
341 include two parts: energy-related emissions (emissions from fossil fuel combustion), and  
342 process-related emissions (emissions from cement industry processes). According to the IPCC  
343 guidelines<sup>7</sup>, energy-related CO<sub>2</sub> emissions equals to activity data (fossil fuel consumption)  
344 multiplied by parameters  $NCV$ ,  $EF$ , and  $O$ , see equation (1) below.

345

$$346 \quad CE_{ij} = AD_{ij} \times NCV_i \times EF_i \times O_{ij} \quad (1)$$

347 In the equation,  $CE_{ij}$  refers to the CO<sub>2</sub> emissions by energy type ( $i$ ) and sector ( $j$ ). The  
348 emissions are calculated by 17 different energy types (see Supplementary Table 1) and 47  
349 socioeconomic sectors (See Supplementary Table 2) in this study.

350  $AD_{ij}$  (activity data) means to fossil fuel consumption by the corresponding energy types  
351 and sectors. Energy loss during transportation, energy processes, and input as raw materials in  
352 chemical process are exclude from the consumption as these part of energy use will not emit  
353 any CO<sub>2</sub><sup>35</sup>. All the data are collected from the most up-to-date energy balance tables and  
354 energy consumption by sectors published in Energy Statistical Yearbooks<sup>36</sup>.

355  $NCV_i$  in equation (1) refers to net caloric value, which is the heat value produced per  
356 physical unit of fossil fuel combusted.  $EF_i$  (emission factor) is the CO<sub>2</sub> emissions per net  
357 caloric value produced for different fossil fuel types.  $O_{ij}$  is oxygenation efficiency, which  
358 refers to the oxidation ratio when burning fossil fuels. We consider different oxygenation  
359 efficiencies for fossil fuels used in different sectors, as the combustion technology levels  
360 differ by sector in China.

361 All three parameters are collected based on our previous survey of China's fossil fuel  
362 quality<sup>37</sup> and assumed to be unchanged throughout the study period<sup>35,38</sup>. The emission factors  
363 of coal-related fuels are approximately 40% lower than the IPCC default value, while the oil-  
364 and gas-related fuels' emission factors are close to the IPCC values. The oxygenation  
365 efficiencies are calculated based on the different combustion levels of China's industrial  
366 sectors. The average oxygenation efficiency for coal-related fuels is 92%, lower than the  
367 values of 100% and 98% used by UN and IPCC. CEADs also employs the latest energy  
368 consumption data adjusted by NBS in 2014. The data adjustment in 2014 brings a 5%  
369 increase to the total CO<sub>2</sub> emissions. The parameters in this study are now being widely used  
370 by the Chinese government in its recently released report on climate change<sup>39</sup>.

371 We calculate the process-related CO<sub>2</sub> emissions (cement production) in equation (2).  $CE_t$   
372 refers to CO<sub>2</sub> emission from cement production in China. The activity data ( $AD_t$ ) refers to  
373 cement production, which are collected from China's statistical yearbook 2001-2017<sup>8</sup>. The  
374 emission factor for cement production ( $EF_t$ ) is also collect from our previous research<sup>37</sup>.

$$375 \quad CE_t = AD_t \times EF_t \quad (2)$$

376

377 **Decomposition analysis.** Decomposition analysis (DA) methods have been used  
378 extensively to quantify the contribution of socioeconomic drivers to change in environmental

379 pressures [6.43-44](#). Two decomposition approaches are by far the most popular, namely, index  
 380 decomposition analysis (IDA) and structural decomposition analysis (SDA). Compared with  
 381 SDA, which is based on input–output coefficients and final demands from input–output  
 382 tables, IDA is more suitable for time-series analysis using data with sufficient temporal and  
 383 sectoral detail [45,46](#). The advantage of the IDA approach is that it can be easily applied to any  
 384 data at any level of aggregation [47](#).

385 Among specific IDA methodologies, the Logarithmic Mean Divisia Index (LMDI) has  
 386 been shown by past studies to be preferable by virtue of its path independence, consistency in  
 387 aggregation, and ability to handle zero values [48-50](#). As a result, many studies have used LMDI  
 388 to provide policy-relevant insights, for instance by identifying driving forces of energy  
 389 consumption [47,51,52](#) and changes in CO<sub>2</sub> emissions [53-56](#). The LMDI analysis compares a set of  
 390 indices between the base and final year of a given period, and explores the effects of these  
 391 indices on the trend of emissions over that period [47](#). See supplementary information for  
 392 detailed calculation.

393 In this study, we decompose the national energy-related industrial CO<sub>2</sub> emissions (C) as:

$$394 \quad C = \sum_i \sum_j C = \sum_i \sum_j P \times \frac{G}{P} \times \frac{G_j}{G} \times \frac{E_j}{G_j} \times \frac{E_{ij}}{E_j} \times \frac{C_{ij}}{E_{ij}} = \sum_i \sum_j P \times Y \times S \times I \times M \times T \quad (3)$$

395 where C represents national energy-related industrial CO<sub>2</sub> emissions,  $C_{ij}$  is the CO<sub>2</sub>  
 396 emissions in sector  $j$  (where sector  $j=1,2,3,4$  represents light industries, heavy industries, high  
 397 technology industries and agricultural & service industries, see Supplementary Table 2 for  
 398 sector definition) by fuel type  $i$  (where  $i=1,2,3$  represents coal, oil, and natural gas,  
 399 respectively),  $G_j$  is Gross Domestic Product (GDP) of sector  $j$ ,  $E_{ij}$  is the consumption of fuel  
 400 type  $i$  in sector  $j$ ; Thus, according to equation (1), C is represented by six factors mentioned  
 401 above:

- 402 1)  $P$  is population ;
- 403 2)  $Y = G/P$  stands for GDP per capita and measures economic growth;
- 404 3)  $S_j = G_j/G$  is the sector  $j$ 's share of total GDP, represents the industrial structure;
- 405 4)  $I_j = E_j/G_j$  is energy intensity in sector  $j$  and measures the energy consumption per  
 406 unit of GDP, which indicates the energy efficiency;
- 407 5)  $M_{ij} = E_{ij}/E_j$  is the proportion of fuel type  $i$  in sector  $j$  and represents the energy mix  
 408 effect,  $M_1, M_2$  and  $M_3$  in equation (4) describe the proportion of coal, oil and natural gas in the  
 409 entire economy. The effect of non-fossil energy proportion is assessed to be zero.
- 410 6)  $T_{ij} = C_{ij}/E_{ij}$  is the emission intensity of fuel type  $i$  in sector  $j$ , reflecting changes of  
 411 fuel carbon content upgrades (e.g. replacing brown coal by anthracite) within any broad fuel  
 412 type (i.e. coal consumption). 17 types of fossil fuel are included in this study (Supplementary  
 413 Table 1), which is aggregated into three categories (coal, oil and gas).

414 Thus, the change of national CO<sub>2</sub> emissions in year  $t$  compared with the year  $t-1$  is  
 415 calculated as

$$\begin{aligned}
\Delta C_{tot} = & \sum_{ij}^3 \sum_{ij}^4 L(w_{ij}^t, w_{ij}^{t-1}) \ln \left| \frac{P^t}{P^{t-1}} \right| + \sum_{ij}^3 \sum_{ij}^4 L(w_{ij}^t, w_{ij}^{t-1}) \ln \left| \frac{Y^t}{Y^{t-1}} \right| + \sum_{ij}^3 \sum_{ij}^4 L(w_{ij}^t, w_{ij}^{t-1}) \ln \left| \frac{S_j^t}{S_j^{t-1}} \right| \\
& + \sum_{ij}^3 \sum_{ij}^4 L(w_{ij}^t, w_{ij}^{t-1}) \ln \left| \frac{I_j^t}{I_j^{t-1}} \right| + \sum_{ij}^3 \sum_{ij}^4 L(w_{ij}^t, w_{ij}^{t-1}) \ln \left| \frac{M_{1j}^t}{M_{1j}^{t-1}} \right| + \sum_{ij}^3 \sum_{ij}^4 L(w_{ij}^t, w_{ij}^{t-1}) \ln \left| \frac{M_{2j}^t}{M_{2j}^{t-1}} \right| \\
& + \sum_{ij}^3 \sum_{ij}^4 L(w_{ij}^t, w_{ij}^{t-1}) \ln \left| \frac{M_{3j}^t}{M_{3j}^{t-1}} \right| + \sum_{ij}^3 \sum_{ij}^4 L(w_{ij}^t, w_{ij}^{t-1}) \ln \left| \frac{T_{ij}^t}{T_{ij}^{t-1}} \right| \\
= & \Delta C_P + \Delta C_Y + \Delta C_S + \Delta C_I + \Delta C_{coal} + \Delta C_{oil} + \Delta C_{gas} + \Delta C_T
\end{aligned} \tag{4}$$

417 Here,  $L(w_{ij}^t, w_{ij}^{t-1}) = (C_{ij}^t - C_{ij}^{t-1}) / (\ln(C_{ij}^t) - \ln(C_{ij}^{t-1}))$ , is a weighting factor called the  
418 logarithmic mean weight.  $\Delta C_P$ ,  $\Delta C_Y$ ,  $\Delta C_S$ ,  $\Delta C_I$ ,  $\Delta C_{coal}$ ,  $\Delta C_{oil}$ ,  $\Delta C_{gas}$  and  $\Delta C_T$ , are  
419 CO<sub>2</sub> emission changes owing to population variation, economic growth, industrial structure  
420 adjustment, energy intensity effect, changes in the proportion of coal, oil, and natural gas  
421 consumption, and emission intensity change, respectively. The decomposition analysis with  
422 CO<sub>2</sub> emissions estimated in this study is defined as the base decomposition.

423

424 **Sensitivity Test.** To assess the extent to which different factors' contributions are affected by  
425 national CO<sub>2</sub> emissions, we conduct a sensitivity analysis which decomposes the emissions  
426 from the BP, IEA and EIA databases (Fig. 1a). CO<sub>2</sub> emissions from other data source are  
427 obtained from Carbon Dioxide Information Analysis Centre (CDIAC)<sup>42</sup>; Emissions  
428 Database for Global Atmospheric Research (EDGAR)<sup>41</sup>; United Nations Framework  
429 Convention on Climate Change (UNFCCC)<sup>44</sup>; U.S. Energy Information Administration  
430 (EIA)<sup>32</sup>; International Energy Agency (IEA)<sup>33</sup> and British Petroleum (BP)<sup>34</sup>. The national  
431 fossil fuel emissions for the different data sources are given by  $C_{BP}$ ,  $C_{IEA}$  and  $C_{EIA}$   
432 respectively. Then they were split into different fuel types in different sectors ( $C_{ij}$ ) with the  
433 share ( $C_{ij}/C$ ) in the base decomposition. The decomposition 1 ( $C_{BP}$ ), decomposition 2 ( $C_{EIA}$ )  
434 and decomposition 3 ( $C_{IEA}$ ) are conducted with the same  $E_{ij}$ ,  $E_j$  and  $P$  in the base  
435 decomposition. The range of results of decompositions 1, 2 and 3 are shown as error bars in  
436 Fig. 2.

437 **Cumulative sum (cusum) test.** We use an econometric approach to investigate whether a  
438 structural break of energy-related carbon emissions had occurred in the industrial sector over  
439 2000-2016. The occurrence of structural break is examined using the cumulative sum (cusum)  
440 test introduced by Brown et al.<sup>57</sup> and Ploberger and Krämer<sup>58</sup>

441

442 We model the total energy-related CO<sub>2</sub> emissions as a function of its first-order lag as  
443 follows:

$$444 \quad \square_{\square}^2 = \square_{\square} \square_{\square}^2_{-1} + \square_{\square} \quad \square = 1, \dots, \square \tag{3}$$

445 Where  $\square_{\square}$  is a vector of time-varying parameters and  $\square_{\square}$  is an independent and identically  
446 normally distributed error term. The null hypothesis for the test of parameter stability is  $H_0$ :  
447  $\square_{\square} = \square$ , which is interpreted as the parameter  $\square$  is constant over time. Under the null  
448 hypothesis, the recursive residuals are assumed to be independent and identically distributed  
449 as  $N(0, \sigma^2)$ , and the cumulative sum of the recursive residuals also has a mean of zero. The  
450 formula for the cumulative sum of the recursive residuals can be found in Brown et al.<sup>57</sup>.

451 The null hypothesis can be rejected if the cusum statistic is larger than a critical value at  
452 90%, 95%, or 99%. Once the null hypothesis is rejected, it implies that there exists a  
453 structural break during this period.

454

455 *Data availability.* The original data that support the findings of this study can be freely downloaded  
456 from the China Emission Accounts and Datasets (CEADS) website (<http://www.ceads.net/>). The data  
457 descriptor has been published on Scientific data to facilitate reuse <sup>40</sup>.

458

## 459 References

460

- 461 32. U.S. Energy Information Administration (EIA). <https://www.eia.gov/>.
- 462 33. International Energy Agency. <https://www.iea.org/statistics/topics/CO2emissions/>.
- 463 34. British Petroleum. Statistical Review of World Energy 2016 (London: British Petroleum ,  
464 2016).
- 465 35. Shan, Y. *et al.* Methodology and applications of city level CO<sub>2</sub> emission accounts in China.  
466 *Journal of Cleaner Production* **161**, 1215-1225 (2017).
- 467 36. National Bureau of Statistics of the People's Republic of China. *China Energy Statistical*  
468 *Yearbook* (China statistics press, 2001-2017).
- 469 37. Liu, Z. *et al.* Reduced carbon emission estimates from fossil fuel combustion and cement  
470 production in China. *Nature* **524**, 335-338 (2015).
- 471 38. Shan, Y. *et al.* China CO<sub>2</sub> emission accounts 1997–2015. *Scientific data* **5**, 170201 (2018).
- 472 39. National Development and Reform Commission. The People's Republic of China First Biennial  
473 Update Report on Climate Change." from  
474 <http://qhs.ndrc.gov.cn/dtjj/201701/W020170123346264208002.pdf>. (2016).
- 475 40. Shan, Y. *et al.* New provincial CO<sub>2</sub> emission inventories in China based on apparent energy  
476 consumption data and updated emission factors. *Appl. Energy* **184**, 742-750, (2016).
- 477 41. Olivier, J. G. J., Janssens-Maenhout, G., Muntean, M. & Peters, J. A. H. W.. *Trends in global*  
478 *CO<sub>2</sub> emissions: 2016 Report*. European Commission, Joint Research Centre (JRC),  
479 Directorate C—Energy, Transport and Climate; PBL Netherlands Environmental Assessment  
480 Agency, The Hague., (2016).
- 481 42. United Nations Framework Convention on Climate Change (UNFCCC). 2016  
482 [http://unfccc.int/national\\_reports/annex\\_i\\_ghg\\_inventories/national\\_inventories\\_submissions/ite](http://unfccc.int/national_reports/annex_i_ghg_inventories/national_inventories_submissions/items/8108.php)  
483 [ms/8108.php](http://unfccc.int/national_reports/annex_i_ghg_inventories/national_inventories_submissions/items/8108.php); accessed June 2017.
- 484 43. Guan, D., Hubacek, K., Weber, C. L., Peters, G. P. & Reiner, D. M. The drivers of Chinese CO<sub>2</sub>  
485 emissions from 1980 to 2030. *Global Environmental Change* **18**, 626-634 (2008).
- 486 44. Feng, K., Davis, S. J., Sun, L. & Hubacek, K. Drivers of the US CO<sub>2</sub> emissions 1997-2013.  
487 *Nature communications* **6** (2015).
- 488 45. Hoekstra, R. & Van den Bergh, J. C. Comparing structural decomposition analysis and index.  
489 *Energy economics* **25**, 39-64 (2003).
- 490 46. Zhang, M., Mu, H., Ning, Y. & Song, Y. Decomposition of energy-related CO<sub>2</sub> emission over  
491 1991–2006 in China. *Ecological Economics* **68**, 2122-2128 (2009).



- 492 47. Ma, C. & Stern, D. I. China's changing energy intensity trend: A decomposition analysis. *Energy*  
493 *Economics* **30**, 1037-1053 (2008).
- 494 48. Ang, B. W. The LMDI approach to decomposition analysis: a practical guide. *Energy policy* **33**,  
495 867-871 (2005).
- 496 49. Ang, B. W. & Liu, F. A new energy decomposition method: perfect in decomposition and  
497 consistent in aggregation. *Energy* **26**, 537-548 (2001).
- 498 50. Ang, B., Zhang, F. & Choi, K-H. Factorizing changes in energy and environmental indicators  
499 through decomposition. *Energy* **23**, 489-495 (1998).
- 500 51. Ou, Y.H., Liu, Y.F. & Man, J.Y. Decomposition research of the total energy consumption of  
501 China based on LMDI. *Economic Management* **7**, 021 (2007).
- 502 52. Zhang, M. & Guo, F. Analysis of rural residential commercial energy consumption in China.  
503 *Energy* **52**, 222-229 (2013).
- 504 53. Kyonghwa, J. & Suyi, K. LMDI decomposition analysis of greenhouse gas emissions in the  
505 Korean manufacturing sector. *Energy Policy* **62**, 1245-1253, doi:10.1016/j.enpol.2013.06.077  
506 (2013).
- 507 54. Liu, L., Fan, Y., Wu, G. & Wei, Y.M. Using LMDI method to analyze the change of China's  
508 industrial CO<sub>2</sub> emissions from final fuel use: An empirical analysis. *Energy Policy* **35**, 5892-5900  
509 (2007).
- 510 55. Kang, J. *et al.* A multi-sectoral decomposition analysis of city-level greenhouse gas emissions: case  
511 study of Tianjin, China. *Energy* **68**, 562-571 (2014).
- 512 56. Wang, Y., Zhu, Q. & Geng, Y. Trajectory and driving factors for GHG emissions in the Chinese  
513 cement industry. *Journal of Cleaner Production* **53**, 252-260 (2013).
- 514 57. Brown, R. L., Durbin, J. & Evans, J. M. Techniques for testing the constancy of regression  
515 relationships over time. *Journal of the Royal Statistical Society. Series B (Methodological)*, 149-  
516 192 (1975).
- 517 58. Ploberger, W. & Krämer, W. The CUSUM test with OLS residuals. *Econometrica: Journal of the*  
518 *Econometric Society*, 271-285 (1992).
- 519
- 520