


## Journal Pre-proof

'The relationship between nurse managers' leadership style and patients' perception of the quality of the care provided by nurses: Cross sectional survey'

F. Zaghini , J. Fiorini , M. Piredda , R. Fida , A. Sili

PII: S0020-7489(19)30253-6  
DOI: <https://doi.org/10.1016/j.ijnurstu.2019.103446>  
Reference: NS 103446



To appear in: *International Journal of Nursing Studies*

Received date: 12 October 2018  
Revised date: 20 March 2019  
Accepted date: 20 March 2019

Please cite this article as: F. Zaghini , J. Fiorini , M. Piredda , R. Fida , A. Sili , 'The relationship between nurse managers' leadership style and patients' perception of the quality of the care provided by nurses: Cross sectional survey', *International Journal of Nursing Studies* (2019), doi: <https://doi.org/10.1016/j.ijnurstu.2019.103446>

This is a PDF file of an article that has undergone enhancements after acceptance, such as the addition of a cover page and metadata, and formatting for readability, but it is not yet the definitive version of record. This version will undergo additional copyediting, typesetting and review before it is published in its final form, but we are providing this version to give early visibility of the article. Please note that, during the production process, errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

© 2019 Elsevier Ltd. All rights reserved.

**"The relationship between nurse managers' leadership style and patients' perception of the quality of the care provided by nurses: Cross sectional survey"**

*Zaghini F.<sup>1</sup>, Fiorini J.<sup>2</sup>, Piredda M.<sup>3</sup>, Fida R.<sup>4</sup>, Sili A.<sup>5</sup>*

<sup>1</sup> RN, MSN, PhD, University hospital Tor Vergata, Rome

<sup>2</sup> RN Picc Team, MSN, PhD student, Tor Vergata University, Rome

<sup>3</sup> Assistant Professor, Research Unit Nursing Science, Campus Bio-Medico di Roma University, Rome

<sup>4</sup> Senior Lecturer in Work Psychology, University of East Anglia, Norwich Business School, Norwich, United Kingdom

<sup>5</sup> Nurse Manager, PhD, University hospital Tor Vergata, Rome

**Corresponding author**

Michela Piredda  
Campus Bio-Medico di Roma University  
Via Alvaro del Portillo, 21  
00128 Rome - Italy  
Phone: +39 06225418118  
Fax: +39 0622541456  
Email: m.piredda@unicampus.it  
twitter @michepir

**Funding**

The study did not receive external funding.

**Conflict of interests**

No conflict of interests has been declared by the authors.

## Abstract

**Background:** In healthcare systems, human resources play a strategic role that has a significant impact on the whole caring process. When the wellbeing of professionals is low their performance decreases, counterproductive work behaviours may become more likely, and as a result the quality of care is compromised. Studies have shown that leadership style is particularly relevant in relation to the quality of work environments in healthcare organizations.

**Objective:** The main purpose of this study is to test a model that investigates the relationships between nurse managers' leadership style and patients' perception of the quality of the care provided by the nurses, through the mediation of the quality of the working environment (in terms of burnout, interpersonal strain and counterproductive work behaviour).

**Design:** A multi-centre cross-sectional study was conducted.

**Setting:** The study was conducted in five hospitals located two in the north, two in the centre and one in the south of Italy.

**Participants:** Participants were 479 registered nurses (working as staff nurses, while head nurses and nurse managers were excluded) and 829 patients aged 18 years or older, able to read and write Italian and hospitalized for at least 3 days. Severely ill or mentally disabled patients who were not able to fill in the questionnaire were excluded.

**Methods:** The data were collected through two different questionnaires, one for the nurses and one for the patients. A multilevel analysis was conducted to examine the hypothesized model.

**Results:** Results confirmed the hypothesis that, when nurses were satisfied with leadership, they felt less burned-out and strained in interpersonal relationships, they engaged less in misbehaviour, and, in turn, patients were more satisfied with the quality of the care provided by the nurses.

**Conclusions:** The results of this study showed that the characteristics of the organizational context, the leadership, and the behaviours of nurses, influenced patients' perceptions of nurses' care. Therefore, managers of healthcare services should take these results into account seriously in order to improve the quality of care provided to patients.

**Keywords:** leadership, nursing care, patient satisfaction, quality of care, work environment

#### **What is already known about the topic?**

- The leadership style influences the quality of work environment and can impact on nurses' behaviours
- Nurses who operate in demanding environments can respond to them with a chronic stress condition called burnout
- When nurses live in a condition of organizational malaise, their performance decreases

#### **What this paper adds**

- The more satisfied nurses are with supervisors and management the less they experience burnout
- When nurses are less satisfied with leadership, interpersonal strain increases, and counterproductive work behaviours also increase, reducing patient satisfaction with the nursing care received
- When nurses have a poor perception of leadership, their cynicism increases, and the quality of care perceived by patients decreases

## Introduction

To tackle rapid changes in social care and healthcare, and the growing needs of an aging population, healthcare systems need to find new ways to improve the quality of the care provided (World Health Organization, 2016). In this context, human resources play a strategic role, because they are responsible for the final result of care processes (Dubois et al., 2017), and consequently for the quality of the care provided (Donahue, Piazza, Griffin, Dykes, & Fitzpatrick, 2008).

When healthcare employees, in particular nurses, work in stressful organizations their performance quality decreases (Abualrub & Al-Zaru, 2008; Sili, Alvaro, Fida, Vellone, & Avallone, 2010), counterproductive work behaviours increase (Fida, Tramontano, Barbaranelli, & Fontaine, 2014) and the quality of care is negatively affected (Shen, Wang, & Qiang, 2018).

In line with Karasek's (1979) classical job demands model as well as the more recent job demand-resource model of burnout (Demerouti, Bakker, Nachreiner, & Schaufeli, 2001), employees who work in demanding environments, that is those that require sustained physical and/or psychological effort such as high work pressure or emotionally challenging interactions with clients or customers, are more at risk of developing chronic stress and burnout in terms of psychophysical exhaustion, lack of interest in their work and a feeling of inadequacy (Bakker & Heuven, 2006; Consiglio, 2014; Demerouti et al., 2001; Maslach, Schaufeli, & Leiter, 2001). Burnout is an important problem for modern organizations as its prevalence is continuously growing. It is a syndrome characterized by emotional exhaustion, depersonalization, and reduced personal accomplishment (Maslach, Jackson, & Leiter, 1996). Emotional exhaustion makes the subject feel emotionally overloaded, without the strength to start over, and that they can no longer give anything to others, so they escape involvement. Depersonalization is the tendency to perform tasks mechanically, with standardized and stereotypical procedures. Reduced personal accomplishment refers to individuals feeling that they are inadequate at work, that they are failures, and becoming depressed. Workers suffering

burnout present anxiety, depression, apathy, weakness and insomnia, but also deviant behaviours such as aggressiveness (Cañadas-De la Fuente et al., 2015).

In particular, healthcare workers could be at risk of 'interpersonal strain', that is, stress due to the relationship with a patient, but also with colleagues, line managers or fellow-workers (Borgogni, Galati, Petitta, & Schweitzer, 2005). Interpersonal strain could have negative consequences on nurses' health and well-being (Brotheridge & Grandey, 2002; Tschan, Rochat, & Zapf, 2005; Zapf & Holz, 2006), but could also cause them to modify their behaviours and performances in ways that have a direct impact on patient safety and the quality of the care provided (Zaghini, Biagioli, Caruso, et al., 2017). A lack of attention to these phenomena on the part of the organization could have repercussions on nursing sensitive outcomes and therefore on care quality (Stalpers, de Brouwer, Kaljouw, & Schuurmans, 2015). It is therefore essential for healthcare managers to monitor working conditions, because a "healthy" organization is more effective and productive (Burke, 2016).

In response to a stressful work environment, in addition to developing burnout and interpersonal strain, workers can perform counterproductive behaviours (Spector & Fox, 2005). Starting from the frustration-aggression stress model (Lazarus, 1993), which theorizes how workers can show behaviours that are an adverse response to the negative emotions experienced at work, the stressful-emotional model of counterproductive work behaviour (Spector & Fox, 2005) illustrates how stressful work situations and certain characteristics of an organization could lead workers to feel negative emotions, which increase the likelihood of counterproductive responses. Thus, counterproductive work behaviours are considered as responses to a perceived organizational stress, aimed at reducing the frustration arising from it (Penney & Spector, 2005; Spector & Fox, 2005). They may include theft, sabotage, aggression, and physical or verbal abuse. Workers who display counterproductive work behaviour are aware that they are violating commonly shared ethical and moral principles and rules (Spector & Fox, 2005), so that their aim is to harm the organization and

even the people within it, including colleagues, supervisors, subordinates, and clients (Fox, Spector, & Miles, 2001; Spector & Fox, 2005). Unfortunately, counterproductive work behaviours are also a reality in the nursing profession (Fida et al., 2015), negatively influencing nursing sensitive outcomes and quality of nursing care (Zaghini et al., 2016). Given this, it is pivotal for nurse managers to empower their staff and assess the appropriateness of care by including indicators of nursing sensitive outcomes - which are conditions, behaviours or measurable perceptions of the patient or family (Butler et al., 2011; Doran, 2003; Kane, Shamliyan, Mueller, Duval, & Wilt, 2007; Kuokkanen et al., 2007; Palese et al., 2008) - as an integral part of health management (Dubois et al., 2017).

Nursing is important for quality and safety in hospital care (Aiken et al., 2012) and is one of the most important predictors of the patients' overall satisfaction with care (Kutney-Lee et al., 2009; Laschinger, Hall, Pedersen, & Almost, 2005). In particular, nurses' caring behaviours influence patients' experience of the care received and are significantly associated with the quality of nursing care as perceived by patients (Edvardsson, Watt, & Pearce, 2017). Therefore patients' perception of nurses' caring can be considered an appropriate indicator of nursing care quality (Piredda et al., 2015, 2017).


Moreover, to identify the optimal standards of appropriateness of care, it is important to define the relationship between nursing care provided to patients and the possible determinants of work environments, such as interpersonal strain and burnout (Barbaranelli, Fida, & Gualandri, 2013; Demerouti et al., 2001; Nantsupawat, Nantsupawat, Kunaviktikul, Turale, & Poghosyan, 2016), skills mix (Aiken et al., 2017) and the nurse managers' leadership style (Wong, Cummings, & Ducharme, 2013).

In particular, several studies have shown that leadership style influences the quality of work environments (Cummings et al., 2010; Pearson et al., 2007) and can affect employees' behaviour (Brown, Treviño, & Harrison, 2005; Ho, Kwan, Yim, & Chiu, 2015), including in the nursing

context (Fallatah & Laschinger, 2016; Lin, MacLennan, Hunt, & Cox, 2015; Zaghini, Biagioli, Fida, & Sili, 2017). Furthermore, certain leadership styles (e.g. transformational, ethical and authentic), have been demonstrated as particularly important for creating a supportive work environment for nurses (Laschinger & Leiter, 2006; Laschinger, Wong, & Grau, 2012), through which they are able to provide quality care (Cummings et al., 2010; Laschinger et al., 2012; Stouten et al., 2010) and improve patients' outcomes (Boamah, Laschinger, Wong, & Clarke, 2018).

Many studies have been conducted on work environments, but few have paid attention to their relationship to care outcomes as directly expressed by healthcare users. Indeed, information on the quality of care provided to patients has been collected through self-report questionnaires filled in by healthcare workers, not by patients. Moreover, no research has ever studied, at one and the same time, the relationship existing between the characteristics of the organizational context, the leadership style of nurse managers, and the quality of care reported by patients.

Drawing on the above theories we developed a comprehensive model to explain the relationships between quality of care as perceived by patients and several organizational features (Figure 1). In particular, it aimed to explain how the quality of care perceived by patients could be influenced by nurses' counterproductive work behaviours, a phenomenon never studied before.



*Figure 1. Hypothesized model*

In particular, we aimed to verify the following hypotheses: a) care as perceived by patients could be negatively influenced by healthcare workers' counterproductive work behaviours (H1); b) care as perceived by patients could be negatively, directly (H2, H3), and indirectly (H4, H5) influenced by counterproductive work behaviours, burnout and interpersonal strain of nurses (Jennings, 2008); c) given the relationship between leadership and health environments (Pearson et al., 2007) care as perceived by patients can be negatively and directly influenced by dysfunctional leadership (H6) (Namasivayam, Guchait, & Lei, 2014), and indirectly influenced by its effects on burnout (H7), on interpersonal strain (H8), and on counterproductive work behaviours (H9). In particular, we expected that the quality of leadership had a role to play with regard to patient satisfaction with nurses' care, by reducing nurses' burnout and counterproductive work behaviours.

Therefore, the main purpose of this study was to test the above model explaining the relationships between quality of care as perceived by patients and several organizational features, using a multilevel model to examine all the relationships simultaneously.

## **Methods**

### *Design and setting*

A multi-centre cross-sectional study was conducted in 42 adult medical and surgical wards of five hospitals located two in the north, two in the centre and one in the south of Italy. The hospitals involved met the requirements of geographical representation and were also representative of different healthcare organizations as they included a university hospital, two large hospitals in big cities, and two rural hospitals.

### *Sample*

Participants were registered nurses (RNs) working as staff nurses. Head nurses and nurse managers were excluded. Patients admitted in the wards were recruited by researchers if they met the following criteria: aged 18 years or older, able to read and write Italian and hospitalized for at least 3 days. Severely ill or mentally disabled patients who were not able to fill in the questionnaire were excluded.

### Variables and Measurement

The data were collected by using two different questionnaires, one for patients and one for nurses, all of them validated and already available in the Italian language.

**Patient's perception of the quality of nursing care** received during hospitalization was measured through *The Caring Behaviours Scale* (Piredda et al., 2017). This scale is used as an indicator of nursing care quality, and not as a measure of patient's healthcare outcomes. Patients indicated how often RNs performed each caring behaviour described in 14 statements (e.g. "The nurses performed care activities with carefulness", "The nurses treated me as a person and never as a number or a pathology", "The nurses constantly checked whether I needed anything"), on a 4-point Likert scale (range: never/1 to quite often/4). A high score indicated more caring behaviours from nurses. *The Caring Behaviours Scale* included patients' demographic data and one item evaluating the overall nursing care received, rated on a 4-point Likert scale (range: poor/1 to very good/4). The scale's Cronbach's alpha reliability and factor score determinacy were .92 and .97 respectively.

The nurses' questionnaire included four different scales that are described as follows.

**Nurses' satisfaction with the supervisor and management** was measured by using the satisfaction with management dimension (6 items; e.g. "trust in professional and management attitude and competence of their nurse coordinator") of the *Nursing Organizational Health Questionnaire* (Sili et al., 2010). RNs rated their levels of agreement with each of the items on a 4-

point Likert-type scale (range: 1/never to 4/often). The scale's Cronbach's alpha coefficient and the factor score determinacy were .85 and .95 respectively.

**Burnout** was measured through the *Maslach Burnout Inventory - General Survey* (MBI-GS - Borgogni et al., 2005; Loera, Converso, & Viotti, 2014; Maslach, Jackson, & Leiter, 1996; Schaufeli & Leiter, 1996), using the dimensions of emotional exhaustion (8 items, e.g. "I feel emotionally drained from my work") and depersonalization (5 items, e.g. "I've become more callous toward people since I took this job"). RNs reported the frequencies of their job-related feelings on a 7-point scale ranging from 0/never to 6/every day. The Cronbach's alpha coefficient and the factor score determinacy were .88 and .95 for emotional exhaustion, .88 and .96 for depersonalization respectively.

**Interpersonal Strain** was measured through the 6-item *Interpersonal Strain at Work Scale* (Consiglio, 2014), aimed at measuring mental and emotional distancing from other people at work. RNs rated their feelings (e.g. "at work I find myself insensitive to other people's problems") on a 7-point scale (range: 0/never to 6/every day). The Cronbach's alpha coefficient and the factor score determinacy were .91 and .97 respectively.

**Counterproductive work behaviours** were measured by seven items (e.g. "Someone was careless when updating the patient's medical records") of the *Nursing Counterproductive Work Behaviour Scale* (Sili, Fida, Zaghini, Tramontano, & Paciello, 2014). Using a 5-point scale (range: never/1 to always/5), RNs reported their counterproductive work behaviours towards other people, patients and organization. The Cronbach's alpha coefficient and the factor score determinacy were .64 and .92 respectively.

#### Data collection and management

Between March and July 2016 five research assistants (one for each site) administered the paper and pencil questionnaires. They informed (verbally and through a letter) eligible nurse and patient

participants about the objectives of the study, and the anonymous and voluntary nature of data collection and analysis. The nurses were asked to complete the questionnaire within seven days and to return it in a sealed box placed in each ward. Eligible patients received the questionnaires from the research assistants who allowed them about 4 hours for filling in. After that time the questionnaires were collected by the research assistants. In each ward the survey was conducted in 2 successive moments 15 days apart. The second time round, patients who had already filled in the questionnaire the first time were excluded.

### **Data Analysis**

Preliminary to the examination of the hypothesized model, a confirmatory factor analysis was conducted. Specifically, in order to examine the common method variance that could potentially affect the analysis (Podsakoff, MacKenzie, Lee, & Podsakoff, 2003) we compared the measurement model of the RN data (five latent variables) with the model combining all the variables (one latent variable).

Given the non-normality of the counterproductive work behaviours items, robust weighted least squares (WLSMV) was used as a method for the estimation of parameters. To assess the model fit, Comparative Fit Index (CFI), the Root Mean Square Error of Approximation (RMSEA) and the Standardized Root Mean Square Residual (SRMR) or Weighted root-mean-square residual (WRMR) were used. The chi-square difference test was then used to compare the two measurement models.

While the hypothesized-measurement model fit the data reasonably ( $\chi^2(df=289) = 689.66$ , CFI = .85, RMSEA = .054 (CI=.049 - .059), SRMR = .067), the one-factor model did not converge, showing the distinctiveness of the variables measured in this research. Results of the confirmatory factor analysis on the patient satisfaction scale also showed a reasonable fit ( $\chi^2(df=77) = 522.77$ , CFI = .90, RMSEA = .084 (CI=.077 - .091), SRMR = .050).

Intra-class correlations coefficients (ICCs) (Bliese, 2000) were computed on the patients' data to examine whether the aggregation of the patient satisfaction dimension at ward level was justified. ICCs1 on the patient satisfaction items ranged from .17 to .27 and ICCs2 ranged from .76 to .86, confirming the appropriateness of aggregating this variable at ward level (Bliese, 2000).

To examine the hypothesized model testing the protective role of the quality of leadership on patient satisfaction through a reduction of burnout and counterproductive work behaviours, a multilevel model was tested. All the analyses were conducted with SPSS 21.0 (IBM Corp. Armonk, NY, USA) and Mplus 8.0 (Muthén & Muthén, 2012) software.

### **Ethical approval**

The study was approved by the ethics committee of one of the hospitals involved (protocol number IFO 970/17; 07/09/2017) and by the boards of executives of all five hospitals. The study was conducted in accordance with the principles of the Declaration of Helsinki developed in Brazil by the World Medical Association (2013). Nurses' and patients' participation was voluntary. Consent was assumed by the return of the questionnaires. All data were collected anonymously.

### **Results**

#### Participants

The sample of RNs who participated in the study consisted of 479, with a response rate of 63.9%. Table 1 summarizes nurse demographic characteristics. Participants had a mean age of 41 years, were mostly female (74.5%), married (61.8%) and held a nursing diploma (45.3%). They had worked for their organization for an average of 13 years, 7 hours per day.

The patient participants numbered 829 (response rate 63.8%), most of them were males (448, 54%) and with a mean age of 64.6 years (SD=17.25).

Table 1. Demographic characteristics of RNs (N= 479)

	<b>F (%)</b>	<b>Range</b>	<b>M (SD)</b>
<b>Age</b>		22-67	41.1 (8.6)
<b>Job tenure</b>		1-42	16.7 (8.9)
<b>Job tenure in the current organization</b>		1-41	12.8 (8.7)
<b>Working hours per day</b>		4-12	7 (0.8)
<b>Gender</b>			
<i>Male</i>	120 (25.1)		
<i>Female</i>	357 (74.5)		
<i>Missing</i>	2 (0.4)		
<b>Marital Status</b>			
<i>Single</i>	127 (26.5)		
<i>Divorced</i>	46 (9.6)		
<i>Married</i>	296 (61.8)		
<i>Widowed</i>	4 (0.8)		
<i>Missing</i>	6 (1.3)		
<b>Professional education</b>			
<i>Nursing Diploma</i>	217 (45.3)		
<i>Bachelor</i>	256 (53.4)		
<i>Missing</i>	6 (1.3)		
<b>Clinical Setting</b>			
<i>Internal medicine</i>	252 (52.6)		
<i>General surgery</i>	209 (43.6)		
<i>Oncology</i>	8 (1.7)		
<i>Intensive care</i>	6 (1.3)		
<i>Missing</i>	4 (.8)		
<b>Previous work experience</b>			
<i>Public sector</i>	111 (23.2)		
<i>Private sector</i>	166 (34.7)		
<i>Both private and public sectors</i>	99 (20.7)		
<i>None</i>	86 (18.0)		
<i>Missing</i>	17 (3.5)		

### Multilevel Analysis

The results of the multilevel analysis, summarized in Figure 2, confirmed the hypothesis ( $\chi^2$  (df=10) = 13.095, CFI = 1.00, RMSEA = .026; SRMR = .014). Specifically, within levels, the results showed that the more satisfied nurses were with supervisors and management, the less they felt burnout. Neither emotional exhaustion nor depersonalization were linked to counterproductive work behaviours, but interpersonal strain and dissatisfaction were linked to them. Moreover, between levels, both counterproductive work behaviours and depersonalization were linked to patients'

satisfaction with nursing, meaning that the more RNs engaged in unethical behaviours and the more detached they felt from their job, the less satisfied patients were with nurses' caring.

In particular, within levels, satisfaction with leadership negatively influenced the emotional exhaustion of nurses ( $\beta = -.33$ ;  $p = <.001$ ), indicating that when nursing satisfaction with leadership increased, nurses were less exposed to emotional burnout. The perception of leadership also impacted also on nurses' cynicism ( $\beta = -.38$ ;  $p = <.001$ ), which in turn negatively affected patient perception of nursing care ( $\beta = -.65$ ;  $p = <.001$ ). In other words, when nurses had a poor perception of leadership, their cynicism increased, and the quality of care perceived by patients decreased. Moreover, satisfaction with leadership was negatively associated with interpersonal strain ( $\beta = -.29$ ;  $p = <.001$ ), and interpersonal strain was associated with performing counterproductive work behaviours ( $\beta = .27$ ;  $p = <.001$ ). The results of the indirect effects showed that the relationship between nurses' satisfaction with leadership and counterproductive work behaviour was mediated by interpersonal strain ( $\beta = .08$ ;  $p = <.01$ ).

Between levels, counterproductive work behaviours were negatively associated with patients' satisfaction with nursing care ( $\beta = -.44$ ;  $p = <.001$ ). This relationship means that when nurses were less satisfied with leadership, interpersonal strain increased, and counterproductive work behaviours also increased, reducing patient satisfaction with the nursing care received. Finally, between levels, a direct negative relationship was found between nurses' satisfaction with the leadership and counterproductive work behaviours ( $\beta = -.14$ ;  $p = <.001$ ) which, as we have already noted, negatively affected patient satisfaction.




Figure 2. Results of multilevel Structural Equation Model

## Discussion

The aim of this study was to investigate the relationship between nurses' satisfaction with their leaders, emotional exhaustion, depersonalization, interpersonal strain and counterproductive work behaviours, and patients' satisfaction with the care received.

Patient satisfaction with perceived care was influenced by nurses' behaviours and depersonalization, which in turn were linked to organizational context variables, including the quality of leadership. The result of this study, unique in the Italian nursing context, proves an indirect predictive value of the leadership style of management and the outcomes of healthcare organizations, already reported in different studies on authentic leadership (Cummings et al., 2018; Johnson, 2015). When satisfaction with leadership decreases, a double effect is produced on nurses: they feel strong

discomfort, in terms of emotional exhaustion, depersonalization and interpersonal strain, and they perform more counterproductive work behaviours. The leadership style can influence workers' behaviour (Alilyyani, Wong, & Cummings, 2018; Ho et al., 2015), including counterproductive work behaviours (González, Gras, & Malo, 2015). First, because it generates negative emotions in nurses (Grojean, Resick, Dickson, & Smith, 2004) that can motivate them to perform deviant behaviours such as counterproductive work behaviour (Spector & Fox, 2005); and secondly, because a spirit of imitation of an unethical leader (Neubert, Carlson, Kacmar, Roberts, & Chonko, 2009) leads nurses to perform counterproductive work behaviours (Zaghini, Biagioli, Fida, et al., 2017). This effect of leadership on counterproductive work behaviour decreases the quality of care. Nursing performance influences patients' outcomes (Chahal & Mehta, 2010), and consequently the quality of the care perceived (Kieft, de Brouwer, Francke, & Delnoij, 2014).

Moreover, performance and behaviours by nurses can affect perceived care. Counterproductive work behaviours performed by nurses have proven to be a negative predictor of caring. Counterproductive work behaviours, despite their being clearly directed against the organization (Marcus, Taylor, Hastings, Sturm, & Weigelt, 2016; Robinson & Bennet, 1995), also manifest themselves through deviant behaviours acted towards the users, who in the healthcare services are the patients. Aggressive or violent behaviours, as well as a cold and detached approach to patients during care, are perceived by patients as a sign of poor quality of care. Among healthcare workers, nurses are those who spend most time with patients, and in order to meet their needs and help them achieve the greatest possible degree of self-efficacy, they can establish lasting and fruitful relationships (Johansson, Oléni, & Fridlund, 2002). A detached, cynical or aggressive attitude on the part of nurses certainly does not benefit their relationship with patients or their compliance with care processes, hindering the entire care process and considerably reducing the quality of the care received.

The results of our study also identify a significant predictive value of depersonalization in relation to caring as perceived by patients. Nurses who report a sense of detachment in their work are those with lower quality performance (Bakker & Heuven, 2006), and this is perceived by patients as an indicator of poor quality of care. Previous studies have demonstrated that depersonalization, emotional exhaustion (Ansari, Maleki, & Mzreah, 2013; Kwak, 2006; Zaghini, Biagioli, Fida, et al., 2017) and interpersonal strain (Eriksson & Broidy, 2017) are predictors of deviant nurse behaviours (Zaghini, Biagioli, Caruso, et al., 2017). Results from this study add that when nurses reported depersonalization, the quality of caring perceived by patients was significantly reduced, not only by counterproductive work behaviours, but also by a direct effect of depersonalization.

Unfortunately, counterproductive work behaviours are found to be a reality in the nursing context (Zaghini et al., 2016), and there are determinants in the characteristics of the organization such as interpersonal strain (Zaghini, Biagioli, Fida, et al., 2017) and the quality of the leadership by the manager (Zaghini, Biagioli, Caruso, et al., 2017), which predict their occurrence. Our study shows that when nurses suffered, particularly because of negative interpersonal relationships with colleagues, line managers or patients, their performance decreased in terms of quality, and deviant behaviours were carried out, reducing the quality of perceived care. This is in line with previous literature showing that conflicts with head nurses or managers (Policastro & Payne, 2013), the perception of injustice within organizations (Ahmed, Kiyani, & Hashmi, 2013; Ceylan & Sulu, 2011), poor leadership styles (Alilyyani et al., 2018; Egues & Leinung, 2013) and lack of social support (Longo & Sherman, 2007) are antecedent to counterproductive work behaviours (Zaghini et al., 2016).

### **Strengths and limitations**

This study presents several important strengths. This is the first study to focus on investigating how organizational variables can influence the quality of care perceived by patients; moreover, it was

conducted with a sample of nurses and patients in different hospitals distributed throughout the national territory; finally, the analyses carried out using a structural equation model (SEM) offer an accurate and reliable approach to checking the results.

The study has some limitations. First of all, there is the problem of the “social undesirability” of counterproductive work behaviour. This phenomenon, which refers to the deviant nature of counterproductive work behaviour, making it difficult to report and attribute to oneself, may have led to an underestimation of the phenomenon. In addition, in organizations, a strict zero tolerance policy on the deviant behaviours of healthcare professionals may have led participants not to report this phenomenon. Secondly, the cross-sectional design did not permit an evaluation of the possible development of the variables investigated, which by their nature could determine what is known as an “organizational culture” in which behaviours and relationships become stable and consolidated enough to make both counterproductive work behaviours and interpersonal strain the norm. Finally, since all the scales are used in the questionnaire with the same polarity, we could not rule out a “response set” bias, a problem that in future research could be solved by introducing scales with inverse variability.

## **Conclusion**

This is the first study to investigate whether the characteristics of the organization, the quality of leadership by managers, and the behaviours of nurses, influenced patients’ perceptions of nurses’ care. The quality of leadership of ward managers was found to influence nurses’ behaviours. Therefore, managers of healthcare services who want to provide quality care to patients should take these results into account seriously and introduce surveillance and training programs for nurse managers, helping them to acquire appropriate leadership competences, as well as reducing organizational problems such as absenteeism (Hassan, Wright, & Yukl, 2014) and intention to leave (Ha & Choi, 2002), and preventing errors (Bobbio, Manganelli Rattazzi, & Muraro, 2007).

In addition, it is important to create organizational climates that focus on the problems and needs of nurses in order to prevent emotional exhaustion and depersonalization and promote relaxed relationships with both managers and colleagues. In this way, staff performance could improve, indirectly but significantly increasing the quality of the care provided. Therefore, investing and working on managers' leadership quality could add a significant value that would reflect on the quality of care and on the safety of patients.

Journal Pre-proof

## References

- Abualrub, R. F., & Al-Zaru, I. M. (2008). Job stress, recognition, job performance and intention to stay at work among Jordanian hospital nurses. *Journal of Nursing Management*, *16*(3), 227–236.
- Ahmed, W., Kiyani, A. A., & Hashmi, S. H. (2013). The study on organizational cynicism, organizational injustice & breach of psychological contract as the determinants of deviant work behavior. *Actual Problems of Economics*, *140*(2), 145–154.
- Aiken, L. H., Sermeus, W., Van den Heede, K., Sloane, D. M., Busse, R., McKee, M., ... Kutney-Lee, A. (2012). Patient safety, satisfaction, and quality of hospital care: cross sectional surveys of nurses and patients in 12 countries in Europe and the United States. *Bmj*, *344*(mar20 2), e1717–e1717.
- Aiken, L. H., Sloane, D., Griffiths, P., Rafferty, A. M., Bruyneel, L., McHugh, M., ... Sermeus, W. (2017). Nursing skill mix in European hospitals: cross-sectional study of the association with mortality, patient ratings, and quality of care. *BMJ Quality & Safety*, *26*(7), 559–568.
- Alilyyani, B., Wong, C. A., & Cummings, G. (2018). Antecedents, mediators, and outcomes of authentic leadership in healthcare: A systematic review. *International Journal of Nursing Studies*, *83*, 34–64.
- Ansari, M. E., Maleki, S., & Mzreah, S. (2013). An analysis of factors affected on employees' counterproductive work behavior: The moderating role of job burnout and engagement. *Journal of American Science*, *9*(1), 350–359.
- Bakker, A. B., & Heuven, E. (2006). Emotional dissonance, burnout, and in-role performance among nurses and police officers. *International Journal of Stress Management*, *13*(4), 423–440.
- Barbaranelli, C., Fida, R., & Gualandri, M. (2013). Assessing counterproductive work behavior: A study on the dimensionality of cwb-checklist. *TPM - Testing, Psychometrics, Methodology in Applied Psychology*, *20*(3), 235–248.
- Bliese, P. D. (2000). Within-group agreement, non-independence, and reliability: Implications for data aggregation and analysis. In *Multilevel theory, research, and methods in organizations: Foundations, extensions, and new directions* (pp. 349–381). San Francisco, CA: Jossey-Bass.
- Boamah, S. A., Laschinger, H. K. S., Wong, C., & Clarke, S. (2018). Effect of transformational leadership on job satisfaction and patient safety outcomes. *Nursing Outlook*, *66*(2), 180–189.
- Bobbio, A., Manganelli Rattazzi, A. M., & Muraro, M. (2007). Empowering Leadership Style in healthcare. A study on nursing manager [Italian]. *Giornale Italiano Di Medicina Del Lavoro Ed Ergonomia*, *29*(1), A37–A49.
- Borgogni, L., Galati, D., Petitta, L., & Schweitzer, C. F. A. (2005). *Organization check-up systems questionnaire: Manual* [Italian]. Firenze, Italy: Organizzazioni Speciali.
- Brotheridge, C. M., & Grandey, A. A. (2002). Emotional labor and burnout: Comparing two perspectives of “people work.” *Journal of Vocational Behavior*, *60*(1), 17–39.
- Brown, M. E., Treviño, L. K., & Harrison, D. A. (2005). Ethical leadership : A social learning perspective for construct development and testing. *Organizational Behavior and Human Decision Processes*, *97*(2), 117–134.
- Burke, R. J. (2016). The Healthy Organization: reducing High-Risk individual Behavior and

- Organizational Toxicity. In *The Fulfilling Workplace* (pp. 23–72).
- Butler, M., Collins, R., Drennan, J., Halligan, P., O’Mathúna, D. P., Schultz, T. J., ... Vilis, E. (2011). Hospital nurse staffing models and patient and staff-related outcomes. *The Cochrane Database of Systematic Reviews*, (7), CD007019.
- Cañadas-De la Fuente, G. A., Vargas, C., San Luis, C., García, I., Cañadas, G. R., & De la Fuente, E. I. (2015). Risk factors and prevalence of burnout syndrome in the nursing profession. *International Journal of Nursing Studies*, 52(1), 240–249.
- Ceylan, A., & Sulu, S. (2011). Organizational injustice and work alienation. *Ekonomie a Management*, 14, 65–78.
- Chahal, H., & Mehta, S. (2010). Antecedents and Consequences of Organisational Citizenship Behaviour (OCB): A Conceptual Framework in Reference to Health Care Sector. *Journal of Services Research*, 10(2), 25–44.
- Consiglio, C. (2014). Interpersonal strain at work: A new burnout facet relevant for the health of hospital staff. *Burnout Research*, 1(2), 69–75.
- Cummings, G. G., MacGregor, T., Davey, M., Lee, H., Wong, C. A., Lo, E., ... Stafford, E. (2010). Leadership styles and outcome patterns for the nursing workforce and work environment: A systematic review. *International Journal of Nursing Studies*, 47(3), 363–385.
- Cummings, G. G., Tate, K., Lee, S., Wong, C. A., Paananen, T., Micaroni, S. P. M., & Chatterjee, G. E. (2018). Leadership styles and outcome patterns for the nursing workforce and work environment: A systematic review. *International Journal of Nursing Studies*, 85(March), 19–60.
- Demerouti, E., Bakker, A. B., Nachreiner, F., & Schaufeli, W. B. (2001). The Job Demands-Resources Model of Burnout. *Journal of Applied Psychology*, 86(3), 499–512.
- Donahue, M. O., Piazza, I. M., Griffin, M. Q., Dykes, P. C., & Fitzpatrick, J. J. (2008). The relationship between nurses’ perceptions of empowerment and patient satisfaction. *Applied Nursing Research*, 21(1), 2–7.
- Doran, D. (2003). *Nursing Sensitive Outcomes: The State of the Science*. (Jones & Barrett, Eds.). Boston, MA.
- Dubois, C.-A., D’Amour, D., Brault, I., Dallaire, C., Dery, J., Duhoux, A., ... Zufferey, A. (2017). Which priority indicators to use to evaluate nursing care performance? A discussion paper. *Journal of Advanced Nursing*, 73(12), 3154–3167.
- Edvardsson, D., Watt, E., & Pearce, F. (2017). Patient experiences of caring and person-centredness are associated with perceived nursing care quality. *Journal of Advanced Nursing*, 73(1), 217–227.
- Egues, A. L., & Leinung, E. Z. (2013). The Bully Within and Without : Strategies. *Nursing Forum*, 48(3), 185–191.
- Eriksson, L., & Broidy, L. (2017). Strain Theory and Crime. In *The Palgrave Handbook of Australian and New Zealand Criminology, Crime and Justice* (pp. 543–556). Cham: Springer International Publishing.
- Fallatah, F., & Laschinger, H. K. S. (2016). The influence of authentic leadership and supportive professional practice environments on new graduate nurses’ job satisfaction. *Journal of Research in Nursing*, 21(2), 125–136.

- Fida, R., Paciello, M., Tramontano, C., Fontaine, R. G., Barbaranelli, C., & Farnese, M. L. (2015). An integrative approach to understanding counterproductive work behavior: The roles of stressors, negative emotions, and moral disengagement. *Journal of Business Ethics*, *130*(1), 131–144.
- Fida, R., Tramontano, P. M., Barbaranelli, C., & Fontaine, C. (2014). The Role of Irritability in the Relation between Job Stressors, Negative Emotions, and Counterproductive Work Behavior. *European Journal of Organizational Psychology*, *23*, 31–47.
- Fox, S., Spector, P. E., & Miles, D. (2001). Counterproductive work behavior (CWB) in response to job stressors and organizational justice: Some mediator and moderator tests for autonomy and emotions. *Journal of Vocational Behavior*, *59*(3), 291–309.
- González, M., Gras, M. E., & Malo, S. (2015). Adolescents' Perspective on Their Participation in the Family Context and its Relationship with Their Subjective Well-Being. *Child Indicators Research*, *8*(1), 93–109.
- Grojean, M. W., Resick, C. J., Dickson, M. W., & Smith, D. B. (2004). Leaders, Values, and Organizational Climate: Examining Leadership Strategies for Establishing an Organizational Climate Regarding Ethics. *Journal of Business Ethics*, *55*(3), 223–241.
- Ha, N. S., & Choi, J. (2002). The relationship among leadership styles of nurse managers, job satisfaction, organizational commitment, and turnover intention. *Journal of Korean Academy of Nursing*, *32*(6), 812–822.
- Hassan, S., Wright, B. E., & Yukl, G. (2014). Does Ethical Leadership Matter in Government? Effects on Organizational Commitment, Absenteeism, and Willingness to Report Ethical Problems. *Public Administration Review*, *74*(3), 333–343.
- Ho, L. W., Kwan, K., Yim, F. H., & Chiu, R. K. (2015). CEO Ethical Leadership and Corporate Social Responsibility: A Moderated Mediation Model. *Journal of Business Ethics*, *130*(4), 819–831.
- Jennings, B. M. (2008). *Work Stress and Burnout Among Nurses: Role of the Work Environment and Working Conditions. Patient Safety and Quality: An Evidence-Based Handbook for Nurses*. Agency for Healthcare Research and Quality (US).
- Johansson, P., Oléni, M., & Fridlund, B. (2002). Patient satisfaction with nursing care in the context of health care: A literature study. *Scandinavian Journal of Caring Sciences*, *16*(4), 337–344.
- Johnson, S. H. (2015). *The influence of authentic leadership and structural empowerment on staff nurse decisional involvement and patient quality outcomes*. Boston College.
- Kane, R. L., Shamliyan, T., Mueller, C., Duval, S., & Wilt, T. J. (2007). Nurse staffing and quality of patient care. *Evidence Report/Technology Assessment*, (151), 1–115.
- Karasek, R. A. (1979). Job Demands, Job Decision Latitude, and Mental Strain: Implications for Job Redesign. *Administrative Science Quarterly*, *24*(2), 285.
- Kieft, R. A., de Brouwer, B. B. J. M., Francke, A. L., & Delnoij, D. M. J. (2014). How nurses and their work environment affect patient experiences of the quality of care: a qualitative study. *BMC Health Services Research*, *14*(1), 249.
- Kuokkanen, L., Suominen, T., Rankinen, S., Kukkurainen, M. L., Savikko, N., & Doran, D. (2007). Organizational change and work-related empowerment. *Journal of Nursing Management*, *15*(5), 500–507.

- Kutney-Lee, A., McHugh, M. D., Sloane, D. M., Cimiotti, J. P., Flynn, L., Neff, D. F., & Aiken, L. H. (2009). Nursing: A key to patient satisfaction. *Health Affairs*, 28(4).
- Kwak, A. (2006). *The relationships of organizational injustice with employee burnout and counterproductive work behaviors: Equity sensitivity as a moderator*.
- Laschinger, H. K. S., Hall, L. M., Pedersen, C., & Almost, J. (2005). A Psychometric Analysis of the Patient Satisfaction With Nursing Care Quality Questionnaire. *Journal of Nursing Care Quality*, 20(3), 220–230.
- Laschinger, H. K. S., & Leiter, M. P. (2006). The Impact of Nursing Work Environments on Patient Safety Outcomes The Mediating Role of Burnout Engagement. *Journal of Nursing Administration*, 36(5), 259–267.
- Laschinger, H. K. S., Wong, C. A., & Grau, A. L. (2012). The influence of authentic leadership on newly graduated nurses' experiences of workplace bullying, burnout and retention outcomes: A cross-sectional study. *International Journal of Nursing Studies*, 49(10), 1266–1276.
- Lazarus, R. (1993). THE EMOTIONS : A History of Changing Outlooks. *Annu. Rev. Psycho.*, 44, 1–21.
- Lin, P. Y., MacLennan, S., Hunt, N., & Cox, T. (2015). The influences of nursing transformational leadership style on the quality of nurses' working lives in Taiwan: A cross-sectional quantitative study. *BMC Nursing*, 14(1), 1–9.
- Loera, B., Converso, D., & Viotti, S. (2014). Evaluating the psychometric properties of the Maslach Burnout Inventory-human services survey (MBI-HSS) among Italian nurses: How many factors must a researcher consider? *PLoS ONE*, 9(12), 1–18.
- Longo, J., & Sherman, R. (2007). Leveling horizontal violence. *Nursing Management*, 38, 34–37.
- Marcus, B., Taylor, O. A., Hastings, S. E., Sturm, A., & Weigelt, O. (2016). *The Structure of Counterproductive Work Behavior: A Review, a Structural Meta-Analysis, and a Primary Study*. *Journal of Management* (Vol. 42).
- Maslach, C., Jackson, S., & Leiter, M. P. (1996). The Maslach Burnout Inventory Manual. *Evaluating Stress: A Book of Resources*, (3), 191–218.
- Maslach, C., Schaufeli, W. B., & Leiter, M. P. (2001). Job urnout. *Annual Review of Psychology*, 52(1), 397–422.
- Muthén, L., & Muthén, B. (2012). *Mplus user's guide (version 7.0)*. (Muthén & Muthén 1998-2012, Ed.) *Mplus user's guide (seventh edition)*. Los Angeles, CA, US.
- Namasivayam, K., Guchait, P., & Lei, P. (2014). The influence of leader empowering behaviors and employee psychological empowerment on customer satisfaction. *International Journal of Contemporary Hospitality Management*, 26(1), 69–84.
- Nantsupawat, A., Nantsupawat, R., Kunaviktikul, W., Turale, S., & Poghosyan, L. (2016). Nurse Burnout, Nurse-Reported Quality of Care, and Patient Outcomes in Thai Hospitals. *Journal of Nursing Scholarship*, 48(1), 83–90.
- Neubert, M. J., Carlson, D. S., Kacmar, K. M., Roberts, J. A., & Chonko, L. B. (2009). The Virtuous Influence of Ethical Leadership Behavior : Evidence from the Field. *Journal of Business Ethics*, 90, 157–170.
- Palese, A., Beltrame, E. R., Bin, A., Borghi, G., Bottacin, M., Buchini, S., ... Salmaso, D. (2008). Nursing sensitive outcomes: Critical analysis of the literature [Italian]. *Assistenza*

*Infermieristica e Ricerca*, 27(1), 33–42.

- Pearson, A., Laschinger, H. K. S., Porritt, K., Jordan, Z., Tucker, D., & Long, L. (2007). Comprehensive systematic review of evidence on developing and sustaining nursing leadership that fosters a healthy work environment in healthcare. *International Journal of Evidence-Based Healthcare*, 5(2), 208–253.
- Penney, L. M., & Spector, P. E. (2005). Job stress, incivility, and counterproductive work behavior (CWB): the moderating role of negative affectivity. *Journal of Organizational Behavior*, 26, 777–796.
- Piredda, M., Ghezzi, V., Fenizia, E., Marchetti, A., Petitti, T., De Marinis, M. G., & Sili, A. (2017). Development and psychometric testing of a new instrument to measure the caring behaviour of nurses in Italian acute care settings. *Journal of Advanced Nursing*, 73(12), 3178–3188.
- Piredda, M., Vellone, E., Piras, G., Fida, R., Latour, J., Matarese, M., ... De Marinis, M. (2015). Psychometric evaluation of the Newcastle Satisfaction with Nursing Scales. *J Nurs Care Qual*, 30(1), 84–92.
- Podsakoff, P. M., MacKenzie, S. B., Lee, J. Y., & Podsakoff, N. P. (2003). Common Method Biases in Behavioral Research: A Critical Review of the Literature and Recommended Remedies. *Journal of Applied Psychology*, 88(5), 879–903.
- Policastro, C., & Payne, B. K. (2013). An Examination of Deviance and Deviants in the Durable Medical Equipment (DME) Field: Characteristics, Consequences, and Responses to Fraud. *Deviant Behavior*, 34(3), 191–207.
- Robinson, S. L., & Bennett, R. J. (1995). A Typology of Deviant Workplace Behaviors: a Multidimensional Scaling Study. *Academy of Management Journal*, 38(2), 555–572.
- Shen, A., Wang, Y., & Qiang, W. (2018). A Multicenter Investigation of Caring Behaviors and Burnout Among Oncology Nurses in China. *Cancer Nursing*, 1.
- Sili, A., Alvaro, R., Fida, R., Vellone, E., & Avallone, F. (2010). *The organizational health of nurses: practical guide to the use of the nursing questionnaire on organizational health (QISO)* [Italian]. Edises.
- Sili, Fida, R., Zaghini, F., Tramontano, C., & Paciello, M. (2014). Counterproductive behaviors and moral disengagement of nurses as potential consequences of stress-related work: validity and reliability of measurement scales [Italian] *La Medicina Del Lavoro*, 105(5), 382–94.
- Spector, P. E., & Fox, S. (2005). *A model of Counterproductive work behavior. Counterproductive work behavior: Investigations of actors and targets*. Washington.
- Stalpers, D., de Brouwer, B. J. M., Kaljouw, M. J., & Schuurmans, M. J. (2015). Associations between characteristics of the nurse work environment and five nurse-sensitive patient outcomes in hospitals: A systematic review of literature. *International Journal of Nursing Studies*, 52(4), 817–835.
- Stouten, J., Baillien, E., van den Broeck, A., Camps, J., de Witte, H., & Euwema, M. (2010). Discouraging Bullying: The Role of Ethical Leadership and its Effects on the Work Environment. *Journal of Business Ethics*, 95(SUPPL. 1), 17–27.
- Tschan, F., Rochat, S., & Zapf, D. (2005). It's not only clients: Studying emotion work with clients and co-workers with an event-sampling approach. *Journal of Occupational and Organizational Psychology*, 78(2), 195–220.

- Wong, C. A., Cummings, G. G., & Ducharme, L. (2013). The relationship between nursing leadership and patient outcomes: A systematic review update. *Journal of Nursing Management*, 21(5), 709–724.
- World Health Organization. (2016). *World health statistics 2016: monitoring health for the SDGs sustainable development goals*. World Health Organization.
- Zaghini, F., Biagioli, V., Caruso, R., Badolamenti, S., Fida, R., & Sili, A. (2017). Violating organizational and social norms in the workplace: a correlational study in the nursing context [Italian]. *Medicina Del Lavoro*, 108(2), 98–110.
- Zaghini, F., Biagioli, V., Fida, R., & Sili, A. (2017). The ethical leadership of the nursing ward managers as a key determinant of nurses' organisational behaviours in the healthcare settings. *Professioni Infermieristiche*, 69(1), 31–40.
- Zaghini, F., Fida, R., Caruso, R., Kangasniemi, M., Sili, A., & Vergata, P. T. (2016). What is Behind Counterproductive Work Behaviors in the Nursing Profession? A Systematic Review. *Journal of Clinical Research & Bioethics*, 7(4), 1000277.
- Zapf, D., & Holz, M. (2006). On the positive and negative effects of emotion work in organizations. *European Journal of Work and Organizational Psychology*, 15(1), 1–28.