

# Draft genome sequence of *Bifidobacterium breve* DSM 32583, isolated from human milk

Magdalena Kujawska,<sup>1</sup> Monika Schaubek,<sup>2</sup> Lindsay J. Hall,<sup>1,3,4</sup> Klaus Neuhaus<sup>5,6</sup>

**AUTHOR AFFILIATIONS** See affiliation list on p. 2.

**ABSTRACT** Here, we describe the draft genome sequence of *Bifidobacterium breve* DSM 32583 isolated from human milk obtained from a healthy mother. Potentially, this *B. breve* strain could serve as a probiotic.

**KEYWORDS** *Bifidobacterium*, genome, sequencing

*Bifidobacterium breve* can be found in the gastrointestinal tract, vagina, and breast milk of humans and other mammals. Its presence has been associated with improved health (1). Particular strains of *B. breve* have been suggested to exhibit probiotic properties (2).

We report the draft genome of *B. breve* DSM 32583, isolated from human milk. Healthy women, after normal full-term pregnancy, without mastitis and other perinatal problems were enrolled as donors. Milk samples, collected 7 days after delivery, were cooled and screened the same day for *Bifidobacterium* spp. Dilutions were prepared anaerobically (N<sub>2</sub>:H<sub>2</sub>:CO<sub>2</sub>, 85:10:5), plated on de Man, Rogosa, and Sharpe agar (Oxoid, UK) supplemented with L-cysteine (0.5 g/L) or on *trans*-galactosylated oligosaccharide agar (Merck, Germany) (3), and grown for 48 h at 37°C. The isolate designated *B. breve* DSM 32583 showed higher acid survival, and its evaluation as a probiotic (4, 5) is ongoing. The isolate was deposited as DSM 32583 and WS 5622 in the German Collection of Microorganisms and Cell Cultures (DSMZ, Braunschweig, Germany) and the Weihenstephan Strain Collection (Freising, Germany), respectively.

To extract genomic DNA, *B. breve* DSM 32583 was grown anaerobically on Trypticase soy agar (Carl Roth, Germany) for 48h at 37°C, after which bacteria were lysed mechanically in FastPrep-24 instrument (MP Biomedicals, USA). DNA was recovered using cetyltrimethyl ammonium bromide (CTAB) (Sigma-Aldrich, USA), followed by phenol-chloroform and chloroform:isoamyl alcohol extraction (Carl Roth, Germany). RNA was removed using RNase A (Sigma-Aldrich, USA) (6) and the cleaned DNA was fragmented in the Covaris sonicator model E220 (Covaris, UK). Libraries were prepared using the TruSeq DNA Kit (Illumina, USA) and sequenced on an Illumina MiSeq using a PE300 v3 cartridge, generating 17,887,510 raw reads with an average read length of 301 bp. Read quality was evaluated with fastqc v0.72 (7), and adapters were removed using Clip v1.0.3 (8). The genome was assembled using Unicycler v0.4.6.0 with default settings (9) implemented in Galaxy (10). Genome completeness was estimated 100% at family level using CheckM v1.0.18 (11).

The genome of *B. breve* DSM 32583 comprises 2,292,381 bp in 11 contigs ( $N_{50}$  = 657,788 bp), with a G+C content of 58.74%. It shared 98.1% average nucleotide identity over 84.9% sequence coverage with the genome of type strain *B. breve* DSM 20213<sup>T</sup> (GCA\_001025175.1), confirming its affiliation to the *Bifidobacterium breve* taxon (pyANI v0.2.10 using ANIb module) (12, 13). Unless stated otherwise, default parameters were used for all software.

**Editor** Vanja Klepac-Ceraj, Wellesley College, Wellesley, Massachusetts, USA

Address correspondence to Magdalena Kujawska, magdalena.kujawska@tum.de.

Magdalena Kujawska and Klaus Neuhaus contributed equally to this article. Author order was determined in order of increasing seniority.

M.S. is inventor on patent applications related to this work.

See the funding table on p. 2.

**Received** 13 July 2023

**Accepted** 3 September 2023

**Published** 10 October 2023

Copyright © 2023 Kujawska et al. This is an open-access article distributed under the terms of the [Creative Commons Attribution 4.0 International license](https://creativecommons.org/licenses/by/4.0/).

## ACKNOWLEDGMENTS

We thank ProbiSearch in Tres Cantos, Spain, for strain screenings and first evaluations.  
This work was funded in part by HiPP, Pfaffenhofen (Ilm), Germany.

## AUTHOR AFFILIATIONS

<sup>1</sup>Chair of Intestinal Microbiome, TUM School of Life Sciences and ZIEL–Institute for Food & Health, Technische Universität München, Weihenstephaner Berg, Freising, Germany

<sup>2</sup>HiPP GmbH & Co. Vertrieb KG, Pfaffenhofen (Ilm), Germany

<sup>3</sup>Gut Microbes and Health, Quadram Institute Bioscience, Norwich Research Park, Norwich, United Kingdom

<sup>4</sup>Norwich Medical School, University of East Anglia, Norwich Research Park, Norwich, United Kingdom

<sup>5</sup>Core Facility Microbiome, ZIEL–Institute for Food & Health, Technische Universität München, Weihenstephaner Berg, Freising, Germany

<sup>6</sup>Weihenstephan Microbial Strain Collection, ZIEL–Institute for Food & Health, Technische Universität München, Weihenstephaner Berg, Freising, Germany

## AUTHOR ORCID*s*

Magdalena Kujawska  <http://orcid.org/0000-0002-8842-3512>

Klaus Neuhaus  <http://orcid.org/0000-0002-6020-2814>

## FUNDING

| Funder                      | Grant(s) | Author(s)        |
|-----------------------------|----------|------------------|
| HiPP GmbH & Co. Vertrieb KG |          | Monika Schaubeck |

## DATA AVAILABILITY

Raw sequence reads have been deposited at Sequence Read Archive (accession no. [SRR24425223](https://doi.org/10.1093/bioinformatics/btq117)). The genome assembly was deposited in GenBank (accession no. [JARUHL000000000](https://doi.org/10.1093/bioinformatics/btq117)) and annotated using the NCBI PGAP annotation pipeline v6.5 (14). The version described in this paper is the first version.

## ETHICS APPROVAL

The Ethical Committee on Clinical Research of Hospital Clínico, Madrid, Spain, approved the study (B-06/262).

## REFERENCES

- Bozzi Cionci N, Baffoni L, Gaggia F, Di Gioia D. 2018. Therapeutic Microbiology: The role of *Bifidobacterium breve* as food supplement for the prevention/treatment of paediatric diseases. *Nutrients* 10:1723. <https://doi.org/10.3390/nu10111723>
- Bottacini F, O'Connell Motherway M, Kuczynski J, O'Connell KJ, Serafini F, Duranti S, Milani C, Turrioni F, Lugli GA, Zomer A, Zhurina D, Riedel C, Ventura M, van Sinderen D. 2014. Comparative genomics of the *Bifidobacterium breve* taxon. *BMC Genomics* 15:170. <https://doi.org/10.1186/1471-2164-15-170>
- Corry JEL, Curtis GDW, Baird RM. 2011. Handbook of culture media for food and water microbiology. Royal Society of Chemistry. <https://doi.org/10.1039/9781847551450>
- O'Neill I, Schofield Z, Hall LJ. 2017. Exploring the role of the microbiota member *Bifidobacterium* in modulating immune-linked diseases. *Emerg Top Life Sci* 1:333–349. <https://doi.org/10.1042/ETLS20170058>
- Püngel D, Treveil A, Dalby MJ, Caim S, Colquhoun IJ, Booth C, Ketskemety J, Korcsmaros T, van Sinderen D, Lawson MA, Hall LJ. 2020. *Bifidobacterium breve* UCC2003 exopolysaccharide modulates the early life microbiota by acting as a potential dietary substrate. *Nutrients* 12:948. <https://doi.org/10.3390/nu12040948>
- Vanderhaeghen S, Zehentner B, Scherer S, Neuhaus K, Ardern Z. 2018. The novel EHEC gene *Asa* overlaps the TEGT transporter gene in Antisense and is regulated by NaCl and growth phase. *Scientific reports* 8:17875. <https://doi.org/10.1038/s41598-018-35756-y>
- Andrews S. 2010. Available online at. FastQC: a quality control tool for high throughput sequence data. Available from: <http://www.bioinformatics.babraham.ac.uk/projects/fastqc>
- Gordon A, Hannon G. 2010. FASTQ/A short-reads pre-processing tools., Available online at. Fastx-Toolkit. Available from: [http://hannonlab.cshl.edu/fastx\\_toolkit](http://hannonlab.cshl.edu/fastx_toolkit)
- Wick RR, Judd LM, Gorrie CL, Holt KE. 2017. Unicycler: resolving bacterial genome assemblies from short and long sequencing reads. *PLoS Comput Biol* 13:e1005595. <https://doi.org/10.1371/journal.pcbi.1005595>
- Afgan E, Baker D, van den Beek M, Blankenberg D, Bouvier D, Čech M, Chilton J, Clements D, Coraor N, Eberhard C, Grüning B, Guerler A, Hillman-Jackson J, Von Kuster G, Rasche E, Soranzo N, Turaga N, Taylor J, Nekrutenko A, Goecks J. 2016. The Galaxy platform for accessible, reproducible and collaborative biomedical analyses: 2016 update. *Nucleic Acids Res* 44:W3–W10. <https://doi.org/10.1093/nar/gkw343>

11. Parks DH, Imelfort M, Skennerton CT, Hugenholtz P, Tyson GW. 2015. Checkm: assessing the quality of microbial genomes recovered from isolates, single cells, and Metagenomes. *Genome Res* 25:1043–1055. <https://doi.org/10.1101/gr.186072.114>
12. Pritchard L, Glover RH, Humphris S, Elphinstone JG, Toth IK. 2016. Genomics and taxonomy in diagnostics for food security: soft-rotting enterobacterial plant pathogens. *Anal. Methods* 8:12–24. <https://doi.org/10.1039/C5AY02550H>
13. Chun J, Oren A, Ventosa A, Christensen H, Arahal DR, da Costa MS, Rooney AP, Yi H, Xu X-W, De Meyer S, Trujillo ME. 2018. Proposed minimal standards for the use of genome data for the taxonomy of prokaryotes. *Int J Syst Evol Microbiol* 68:461–466. <https://doi.org/10.1099/ijsem.0.002516>
14. Li W, O'Neill KR, Haft DH, DiCuccio M, Chetvernin V, Badretdin A, Coulouris G, Chitsaz F, Derbyshire MK, Durkin AS, Gonzales NR, Gwadz M, Lanczycki CJ, Song JS, Thanki N, Wang J, Yamashita RA, Yang M, Zheng C, Marchler-Bauer A, Thibaud-Nissen F. 2021. Refseq: Expanding the Prokaryotic genome annotation pipeline reach with protein family model Curation. *Nucleic acids research* 49:D1020–D1028. <https://doi.org/10.1093/nar/gkaa1105>