

	<i>Model</i>	<i>Intercorrelation model</i>	Land-cover buffer (km)	Artificial land-cover	Arable land-cover	Cereal	Tilled	Fallow	Horticulture	Grassland land-cover	Fruit tree land-cover	Groves	Olive	Carob	Citrus	Almond & other fruit	Vineyard land-cover	Active viticulture	Abandoned viticulture	Boundary features	Complex agriculture	Scrub land-cover	Scrub habitat	Tree density	Forest land-cover	Forest habitat	Unvegetated land	Elevation	Habitat diversity	Spatial autocovariate				
Cyprus Wheatear	A	(b)	0.75	■						■							■				■													
		(d)	0.5	■		■									■		■								■									
	I	(a)	0.5	■		■						■						■							■			■						
		(b)	0.5	■														■							■			■						
		(c)	0.5	■		■						■											■			■			■					
		(d)	0.5	■														■							■			■						
Zitting Cisticola ^a	A		0.5					■						■									■		■									
	I		0.5	■	■			■															■		■		■							
Eastern Olivaceous Warbler ^a	A		0.5			■	■				■			■							■				■									
	I		0.5											■		■									■		■							
Sardinian Warbler	A		0.5				■	■						■									■		■		■							
	I		0.5					■						■									■		■		■							
Cyprus Warbler	A		0.5						■					■									■		■		■							
	I	(b)	0.5						■					■									■		■		■							
		(d)	0.5							■					■									■		■		■						
Spotted Flycatcher	A		0.5	■										■															■					
	I		0.5	■										■															■					

