

Table 1. Sociodemographic description of sample stratified by clinical group (n=97).

Variables	HC (n=22)	bvFTD (n=31)	PPA (n=08)	AD (n=28)	MCI (n=08)	<i>p-value</i>
	Mean(SD)	Mean(SD)	Mean(SD)	Mean(SD)	Mean(SD)	
Women (%)	68.18	41.93	66.67	60.71	87.50	0.118*
Age (50-87 years)	66.71(7.93)	66.94(9.26)	58.83(2.64) ^d	74.15(9.22) ^c	64.00(5.32)	<0.001**
Education (0-21 years)	14.73(4.32) ^d	11.74(4.57)	13.17(5.04)	9.43(4.49) ^a	13.75(5.28)	0.003**
MMSE	27.76(2.17) ^d	23.58(5.15)	19.00(2.83) ^d	23.32(3.62) ^{ac}	26.38(2.07)	<0.001**
ACE-R	90.41(8.28) ^{cde}	71.27(16.88)	47.50(13.44) ^{ad}	67.18(11.90) ^{ac}	86.63(4.17) ^a	<0.001**
FAQ	0.35(0.59) ^{cd}	12.71(7.47) ^{ce}	15.33(7.37) ^{abd}	11.00(7.15) ^{ace}	1.00(1.20) ^{bd}	<0.001**

Note 1: HC=Healthy controls, bvFTD=Behavioral variant frontotemporal dementia, PPA= Primary progressive aphasia, AD=Alzheimer's disease and MCI= Mild Cognitive Impairment. Note 2: Results of Chi-squared Test* and Kruskal-Wallis Test**, followed by multiple comparisons test: **a = differ from HC; b = differ from bvFTD; c = differ from PPA; d = differ from AD; e = differ from MCI**; Mini-Mental State Exam (MMSE), Addenbrooke's Cognitive Examination-Revised (ACE-R/Total), Functional Assessment Questionnaire (FAQ).