

Supplemental.

Appendix A. Items distributed by factor, with factor loading value.

	Factor 1	Factor 2	Factor 3	Factor 4
1. Lacks interest in doing things – their own interests/leisure activities/new things.	<u>0.72</u>	0.12	0.30	0.26
2. Lacks normal affection, lacks interest in family members worries.	<u>0.81</u>	0.21	0.20	0.13
3. Is uncooperative when asked to do something; refuses help.	<u>0.81</u>	0.15	0.27	0.17
4. Becomes confused or muddled in unusual surroundings.	<u>0.72</u>	0.26	0.15	0.31
5. Is restless.	<u>0.67</u>	0.01	0.06	0.44
6. Acts impulsively without thinking, lacks judgement.	<u>0.73</u>	0.24	0.25	0.37
7. Forgets what day it is.	0.53	0.14	0.26	<u>0.57</u>
8. Has problems taking his/her usual transportation safely (car, if has a driver licence; bike or public transport if does not have a driver licence).	0.51	0.20	0.29	<u>0.55</u>
9. Has difficulties shopping on their own (e.g. to go to the local shops to get milk and bread if did not use to do the main shopping)	0.38	0.27	0.33	<u>0.58</u>
10. Lacks interest or motivation to perform household chores that he/she used to perform in the past.	0.44	0.34	0.48	<u>0.50</u>
11. Has difficulties completing household chores adequately that he/she used to perform in the past (to the same level).	0.35	0.32	0.43	<u>0.61</u>
12. Has difficulties finding and dialling a telephone number correctly.	0.27	0.19	0.50	<u>0.58</u>
13. Lacks interest in his/her personal affairs, such as finances	0.37	0.50	0.34	<u>0.52</u>
14. Has problems organising his/her finances and to pay bills (cheques, bankbook, bills)	0.29	0.46	0.33	<u>0.63</u>
15. Has difficulties organising correspondence (separating bills from advertising or addressees).	0.24	0.33	0.29	<u>0.72</u>
16. Has problems handling adequately cash in shops, petrol stations, etc. (give and check change)	0.32	0.21	0.26	<u>0.74</u>
17. Has problems taking his/her medications at the correct time (forgets or refuses to take them)	0.28	0.13	0.39	<u>0.76</u>
18. Has difficulties taking his/her medications as prescribed (according to the right dosage).	0.25	0.03	0.32	<u>0.81</u>
19. Lacks previous interest or motivation to prepare a meal (or breakfast, sandwich) for himself/herself (<i>rating based pre-morbid functioning; score same task for questions 19, 20 and 21</i>)	0.29	0.09	<u>0.70</u>	0.44
20. Has difficulties organising the preparation of meals (or a snack if patient was not the main cook) (choosing ingredients; cookware; sequence of steps).	0.31	0.02	<u>0.70</u>	0.51
21. Has problems preparing or cooking a meal (or snack if applicable) on their own (needs supervision/help in kitchen)	0.20	0.11	<u>0.81</u>	0.38

Psychometric properties of the FTD-FRS 2

22. Lacks initiative to eat (if not offered food, might spend the day without eating anything at all).	0.19	0.30	<u>0.82</u>	0.23
23. Has difficulties choosing appropriate utensils and seasonings when eating.	0.19	0.27	<u>0.87</u>	0.15
24. Has problems eating meals at a normal pace and with appropriate manners.	0.24	0.32	<u>0.81</u>	0.27
25. Wants to eat the same foods repeatedly.	0.19	0.35	<u>0.65</u>	0.40
26. Prefers sweet foods more than before.	0.24	0.38	<u>0.60</u>	0.27
27. Has problems choosing appropriate clothing (with regard to the occasion, the weather or color combination).	0.17	<u>0.81</u>	0.23	0.31
28. Is incontinent	0.22	<u>0.85</u>	0.25	0.03
29. Cannot be left at home by himself/herself for a whole day (for safety reasons).	0.09	<u>0.85</u>	0.08	0.25
30. Is restricted to the bed.	0.18	<u>0.81</u>	0.32	0.08

Note. Extraction method: common factor model, Varimax rotation.