

Granular Technologies to Accelerate Decarbonization

C. Wilson^{*1,2}, A. Grubler¹, N. Bento^{1,3}, S. Healey^{1,5,6}, S. De Stercke^{1,4}, C. Zimm¹

¹ International Institute for Applied Systems Analysis (IIASA), Laxenburg, Austria.

² Tyndall Centre for Climate Change Research, University of East Anglia, Norwich, UK.

³ Instituto Universitário de Lisboa (ISCTE-IUL), DINÂMIA' CET, Lisbon, Portugal.

⁴ Department of Civil and Environmental Engineering, Imperial College London, London, UK.

⁵ School of Resource and Environmental Management, Simon Fraser University, Burnaby, Canada.

⁶ Transport Canada, Ottawa, Canada.

* corresponding author (wilsonch@iiasa.ac.at, +44-1603-591386)

Abstract

Meeting international climate targets requires accelerated low-carbon transformation. This means rapid technology diffusion which avoids carbon lock-in and has social legitimacy. More 'granular' energy technologies perform well on all three criteria. Granular technologies are small in size, low in cost, many in number, and distributed in application. Using a wide range of new data and analyses, we show that granularity is associated with faster diffusion, lower investment risk, faster learning, shorter lifetimes, lower complexity, larger efficiency potentials, more equitable access, more job creation, and higher returns on innovation investment. Although broadly robust to variations in context, these advantages are contingent on access to infrastructure, substitutability, and standardisation. Policy support for portfolios of granular energy technologies can help deliver rapid emission reductions in line with global climate change and sustainable development goals.

This is a pre-print of a published article. Please cite as:

Wilson, C., A. Grubler, N. Bento, S. Healey, S. De Stercke & C. Zimm (2020). Granular Technologies to Accelerate Decarbonization. *Science* 368(6486): 36-39. [DOI.org/ 10.1126/science.aaz8060].

Supplementary Materials

Extensive additional information on literature, method, data and analysis is available online at: science.sciencemag.org/content/368/6486/36/suppl/DC1 (or contact the authors).

Acronyms

CCS	carbon capture and storage
EV	electric vehicle
IEA	International Energy Agency
PV	(solar) photovoltaic
SDG	(United Nations) Sustainable Development Goal

Financial Support

The authors acknowledge financial support from RITE (the Research Institute of Innovative Technology for the Earth, Kyoto, Japan) during the early stages of research for this paper. CW was additionally supported by ERC Starting Grant #678799.

Acknowledgements

The authors acknowledge constructive feedback on earlier drafts of this work from seminar participants at SPRU (University of Sussex), IIEEE (University of Lund), and RITE (Japan).

Conflicts of Interest

The authors note no conflicts of interest.

Author Roles

AG & CW conceptualised the research. All authors collected and analysed data. CW & AG wrote the manuscript. All authors reviewed and edited the manuscript.


INTRODUCTION

Of the 45 energy technologies deemed critical by the International Energy Agency for meeting global climate targets, 38 need to improve substantially in cost and performance while accelerating deployment over the next decades [1]. Low-carbon technological solutions vary in scale from solar panels, e-bikes, and smart thermostats to carbon capture and storage, light rail transit, and whole-building retrofits. We make three contributions to longstanding debates on the appropriate scale of technological responses in the energy system [2, 3]. First, we focus on the specific needs of accelerated low-carbon transformation: rapid technology deployment, escaping lock-in, and social legitimacy. Second, we synthesise evidence on energy end-use technologies in homes, transport, and industry as well as electricity generation and energy supply. Third, we go beyond technical and economic considerations to include innovation, investment, deployment, social, and equity criteria for assessing the relative advantage of alternative technologies as a function of their scale. In the process, we suggest numerous potential advantages of more granular energy technologies for accelerating progress towards climate targets, as well as the conditions on which such progress depends.

We use the term 'granularity' to describe technologies in terms of scale - physical, economic, or both. More granular energy technologies have smaller and more variable unit sizes (MW/unit), lower unit investment costs in absolute terms (\$/unit), and are more modular or divisible so are more likely to scale through replication. We use 'lumpiness' to describe the converse: larger units, higher unit investment costs, greater non-divisibility, and more likelihood of up-scaling in unit size. Granular-lumpy is a continuum not a binary categorisation. Figure 1 shows bivariate relationships between measures associated with accelerated low-carbon transformation and granularity (see supplementary materials [SM] for details on data and methods).

FIGURE 1. CHARACTERISTICS OF ACCELERATED LOW-CARBON TRANSFORMATION ON THE GRANULAR-LUMPY CONTINUUM.

DATA POINTS IN EACH PANEL REPRESENT AN ENERGY TECHNOLOGY. UNIT SIZE AND UNIT COST CORRELATE STRONGLY (BLACK PANEL A) AND ARE USED INTERCHANGEABLY AS MEASURES OF GRANULARITY ON LOG HORIZONTAL AXES B-J. VERTICAL AXES SHOW MEASURES OF RAPID TECHNOLOGY DEPLOYMENT (RED PANELS B,F,G), ESCAPING LOCK-IN (BLUE PANELS C,D,H) AND SOCIAL LEGITIMACY (GREEN PANELS E,I,J). ΔT , THE TIME PERIOD OVER WHICH A TECHNOLOGY DIFFUSES FROM 1 TO 50% MARKET SHARE. CONVENTIONAL LEARNING RATE, % COST REDUCTION PER DOUBLING OF CUMULATIVE CAPACITY, CONFLATES TWO DRIVERS OF COST REDUCTION: UNIT SCALE ECONOMIES (MORE CAPACITY PER UNIT), AND EXPERIENCE (MORE UNITS). DESCALED 'TRUE' LEARNING RATE, % COST REDUCTION PER DOUBLING OF CUMULATIVE NUMBERS OF UNITS, STRIPS OUT THE EFFECTS OF UNIT SCALE ECONOMIES ON COST TRENDS. GINI COEFFICIENTS MEASURE (IN)EQUALITY ON A SCALE FROM 0 DENOTING PERFECT EQUALITY (EVERY HOUSEHOLD HAS THE SAME ACCESS) TO 1 DENOTING PERFECT INEQUALITY (ONE HOUSEHOLD HAS ALL THE ACCESS). R^2 SHOWS SIMPLE BIVARIATE MODEL FITS. SEE SUPPLEMENTARY MATERIALS FOR DETAILS ON DATA AND METHODS.



RAPID TECHNOLOGY DEPLOYMENT

Rapid technology deployment depends, *inter alia*, on short diffusion timescales, attractive risk profiles for investors, and strong potential for cost and performance improvements (red panels in Figure 1, and SM-2). These conditions are interdependent. Deployment generates experience which feeds back into technology improvement. Improving competitiveness and reducing investment risk stimulates adoption and compresses the time taken for technologies to diffuse through markets. Clear expectations for market growth attract further investment and strengthen the rationale for policy support. These dynamics of cumulative causation are evident in recent trajectories of rapid solar PV deployment.

Short diffusion timescales. Early research on industrial process innovations found that smaller investment size and higher expected profitability predicted faster diffusion [4]. We show that energy supply and end-use technologies with lower unit investment costs diffuse more quickly from 1 to

50% market share (Figure 1b and SM-1). Lower unit costs in absolute terms mean access to capital becomes less restricted or specialized, and opportunity costs decrease.

Attractive risk profiles for investors. Capital cost overruns on new energy infrastructure is a simplified measure of investment risk. Using a dataset of cost overruns in 350 electricity generation projects [e.g., 5], we find that investment risk tends to increase for larger hydro, nuclear, and thermal plants but to decrease for larger solar and wind plants (SM-2). For more granular renewable technologies, modular construction of standardised units means lower investment risks even at larger project sizes.

Potential for cost and performance improvements. Learning describes how cumulative experience with each additional technological unit produced, installed, or used can lead to cost reductions and performance improvements. We show that learning is faster for more granular energy technologies, using two different formulations of the learning rate (Figure 1f, 1g and SM-3). In both cases, more granular technologies offer more opportunities for repetitive, replicative experience to drive faster improvement.

ESCAPING LOCK-IN

Useful energy services like mobility or heating are provided by hierarchical systems of technologies and infrastructures such as road networks, cars, and engines, or gas pipelines, buildings, and furnaces. Tackling climate change means overcoming 'lock-in' or inertia in fossil-fuel dependent systems [6] (SM-4). This depends, *inter alia*, on rapid renewal of capital stock, low technological complexity, and downsizing the system through end-use efficiency and demand reduction (blue panels in Figure 1). Long-lived energy infrastructure and strong interdependencies between technologies increase switching costs and slow down change. Rapid innovation cycles in simpler, short-lived technologies create more opportunities to develop, test, deploy, and learn how to challenge incumbent processes. Downsizing the system by reducing aggregate demand for energy further reduces switching costs and counteracts the increasing returns to scale on which incumbent firms' dominant market positions are built.

Rapid renewal of capital stock. How long capital stock remains technically viable as well as economically attractive will determine renewal rates. We show that more granular technologies at the lower levels of the system hierarchy have shorter technical lifetimes (Figure 1c and SM-4). Obsolescence opens up opportunities for upgrades, substitutions, or replacements. Shorter lifetimes allow for more rapid turnover and so more rapid entry of low-carbon alternatives.

Low technological complexity. More granular energy end-use technologies have fewer component parts and so lower technological complexity (Figure 1d and SM-5). Less complex technologies present lower interoperability and coordination challenges at the component level which in turn helps stimulate more rapid innovation cycles.

Downsizing the system through end-use efficiency. More granular technologies offer larger potential efficiency gains, particularly for individual and household users for whom energy input costs have proven less salient than for industrial users of more lumpy technologies (Figure 1h and SM-6). Improving the efficiency of end-use technologies leverages more than proportionate improvements in overall system efficiency. In the current global energy system, one unit of energy saved through end-use efficiency avoids the need for 3.2 units of primary energy resource (SM-6) .

SOCIAL LEGITIMACY

Widespread support for political leadership on climate change enables the stringent policies required to incentivize decarbonization and overcome system inertia. Social legitimacy of accelerated low-carbon transformation depends, *inter alia*, on more equitable access to technologies and infrastructures for raising living standards, on job creation benefits from low-carbon technologies, and on social returns from public resources invested in innovation (green panels in Figure 1). The political feasibility of expanding public funding for low-carbon R&D is strengthened by resulting benefits accruing to society in the form of employment, security, health, and a more productive economy. Jobs can be created by investments in new energy facilities. However these potential benefits of low-carbon transformation can be distant from lower income households particularly in developing economies. Widening affordable access to modern energy systems is critical for raising living standards.

Access to technologies and infrastructures for decent living. Unit investment costs of end-use technologies range along a granular-lumpy continuum (Figure 1a), as do the unit costs of incrementally extending service infrastructures providing electricity, broadband, clean water and sanitation to households previously without access . We show that more granular technologies and infrastructure extensions are more widely accessible (Figure 1e and SM-7). Lower investment barriers promote more equitable distribution in raising living standards.

Net job creation. We draw on three meta-studies which synthesised evidence from over 80 discrete studies of direct (construction and operation) and indirect (supply chain) employment effects of power generation and energy-efficiency investments [7]. We find that energy facilities for more granular technologies create more jobs over their lifetimes (Figure 1i and SM-8). We reason that

more granularity is linked to greater breadth and diversity of application which increase labor-capital ratios relative to large, complex technological units.

Social returns on public R&D investments. The US National Research Council quantified the wider economic, environmental, and security benefits of the US Department of Energy's public R&D portfolio from 1978 - 2000 [8]. This study is unique in its use of a transparent and standardized case-study methodology based on data, not model simulations. This allows for comparative analysis across nine end-use efficiency and six energy-supply technology R&D programmes. We show that R&D investments in more granular technologies generated higher social returns (Figure 1j and SM-9). We consider this benefit of more granularity to be associated with lower market barriers to entry, and the wider scope and number of commercial applications.

DISCUSSION

Underlying mechanisms for each of the relationships between granularity and measures of accelerated low-carbon transformation are well substantiated in the literature (diffusion speed, investment risk, learning), have simple explanations (technical lifetime, complexity, end-use efficiency, equality of access), or can be plausibly reasoned (job creation, social returns on R&D investment). Although we have measured each relationship in isolation, their importance lies in their interaction. Under conditions for escaping lock-in, social legitimacy enables rapid technology deployment which further destabilises incumbent fossil-fuel dependent regimes. Lower investment risks and shorter diffusion timescales lead to more widespread diffusion which drives greater equality of access and job creation. Lower risks and barriers to entry for more granular technologies are important as low-carbon and energy-efficient alternatives to incumbents tend to be more capital-intensive .

The potential for accelerated change is not just technological but institutional. More granular technologies enable simple and rapid project planning with distributed and less complex decision-making processes . This is particularly important in markets with weaker governance institutions where lumpy projects are beset by even greater complexities, costs, and risks [9].

However, the benefits of more granular technologies are neither deterministic nor realisable in all contexts. Moreover, the nine measures in Figure 1 do not paint a complete picture of accelerated low-carbon transformation. First, there are many omitted variables from the bivariate relationships such as the effect of profitability on diffusion speed (Figure 1b). Relatively weak model fits for some of the relationships are further explained by the diversity of technology characteristics and adoption environments in our samples (SM-0).

Second, although we intentionally construct diverse samples to identify generalisable relationships, contextual factors are clearly important. For example, the acceptability and so legitimacy of new energy infrastructure varies by place and perspective. The entwining of climate action and social justice movements highlights the importance of perceived fairness in both the process and outcome of low-carbon transformation. Communities, companies, and countries left 'stranded' by rapid decarbonisation can weaken political capacity to drive transformative change.

Third, there are important characteristics of rapid technology deployment, escaping lock-in, and social legitimacy which we do not measure. For example, lock-in has important institutional and behavioral dimensions for which there are no standardised metrics, particularly at the systems level [6] (SM-4). Fourth, interactions between the relationships can dampen as well as accelerate dynamics of change. Rapid turnover of short-lived capital stock may also fail to destabilise larger systems of interdependent technologies, infrastructures and institutions.

Outliers are also informative. For example, in Figure 1b, the data point at the top is cars which, although relatively granular, diffused slowly over long timescales as they drove systemic change in transportation infrastructure and social organisation (SM-1). In Figure 1e, the data points at the bottom left and right both measure access to electricity but from solar lanterns and grid extensions respectively. These granular and lumpy substitutes have very different qualitative impacts on living standards and economic opportunity (SM-7). In Figure 1f & 1g, the data points with very low negative learning rates are nuclear power and flue gas desulphurisation, which nevertheless upscaled and diffused under conditions of strong policy and institutional support.

These caveats and examples highlight important conditions for realising the advantages of granularity: substitutability, standardization, economies of scale, system integration and access to infrastructure, and political economy. We consider each in turn.

SUBSTITUTABILITY AND RISKS OF GRANULARITY

In some cases, clear alternatives on the granular-lumpy continuum compete to serve a broadly equivalent function (e.g., nuclear power plants and solar PV modules generating electricity). In other cases, more granular technologies offer a similar service but with different attributes (e.g., e-bikes and cars for intra-urban mobility). But in some contexts, lumpiness may offer something qualitatively different and non-substitutable (e.g., long-haul flights). This limits the generalisability of the relationships shown in Figure 1.

Systems models which represent both quantities and types of energy service can test the feasibility, cost, and other conditions under which granular and lumpy alternatives are substitutable. The evidence is clearest for electricity systems in which distributed generation, storage, and demand-response technologies offer granular alternatives to historically centralised models [3]. A recent global scenario study shows how portfolios of granular technologies throughout the energy system can limit warming to 1.5°C without relying on lumpy CCS infrastructure [10]. But none of these examples offer granular substitutes for long-distance air travel, steel and cement manufacturing, or Passivhaus buildings.

The substitutability of lumpiness by portfolios of more granular technologies also introduces three major issues: coordination and security; transaction costs; pollution exposure and material waste. If large numbers of technological units need to interact in energy, transport, or building networks, then more granularity poses coordination problems. Digitalisation enables 'smart' system management, but relies on high-resolution real-time dataflows which raise concerns about security, consumer protection, privacy, and data rights. If technology adoption and use takes time and effort, then more granularity implies higher transaction costs. In some cases, this barrier to adoption can be reduced through aggregation (e.g., municipal shared vehicle fleets), standardisation (e.g., neighbourhood-wide retrofit programmes), or third-party management (e.g., energy service companies).

If technologies are polluting, then more granularity can increase pollution exposure pathways and exacerbate adverse health impacts. End-of-pipe pollution controls can be effective if deployed in large numbers (e.g., catalytic converters, air and oil filters, heat recovery units) but highly distributed sources of pollutants such as CO₂ are hard to mitigate. Decarbonisation strategies therefore rely heavily on electrifying energy end-use in buildings, transport as well as industry. Alongside air pollution risks, short-lived technologies with rapid innovation cycles can create considerable material waste unless careful attention is placed on material efficiency, lifecycle design, and product durability, modularity, and reparability [11].

STANDARDISATION AND LOCK-IN

Mass commercialisation of more granular technologies depends on standardisation, which converges technological variety onto a dominant design, stimulates cost-reducing process innovation, enables mass production, provides quality control, and helps align user expectations with technology performance [12]. Efficiency standards drive more rapid learning in appliances and

products . Standardisation of balance-of-system components in solar PV installations enables off-site fabrication at higher production volumes driving both quality improvements and cost reductions .

However 'standardised granularity' raises two important concerns. Dominant designs can become locked in by interdependencies with complementary technologies or infrastructures which are reinforced by standardisation (e.g., railway gauges, power network frequencies) . Historically this helped give rise to monopolistic system operators. Positive network externalities - the value of a network to all users increasing with each new user - combine with standardisation to generate increasing returns to scale and winner-takes-all incumbents. Granularity can help escape carbon lock-in while also risking new forms of system inertia and regulatory capture.

Replicated uniformity also risks disregarding local context [11]. However, standardising design fundamentals, production processes, and system integration still allows for differentiated applications. Small-scale fabrication units can 3D print customisable products using standardised design data . A mass-manufactured PV module can be configured in myriad arrays, installed and used by individuals or large firms.

UNIT AND MANUFACTURING ECONOMIES OF SCALE

Rapid cost reductions associated with more granular technologies (Figure 1f,g) are partly explained by large production runs, seeking scale economies and product quality through standardisation and mass manufacturing. For more lumpy energy technologies, scale economies may be available at the unit level (building larger) rather than in manufacturing (producing more). Controlling for learning effects, unit scale economies have been demonstrated for energy technologies including coal, gas, nuclear, wind power and bioethanol distillation (SM-3).

Unit and manufacturing scale economies therefore offer alternative drivers of cost reduction for different energy technologies. As examples, order-of-magnitude increases in production output from solar PV manufacturing facilities explain over a third of observed cost reductions in module costs from 2001 to 2012 [13]. Conversely, up-scaling of plant sizes explains almost three quarters of observed cost reductions in US coal power production from 1908 - 1970 [14].

ACCESS TO INFRASTRUCTURE AND SYSTEM INTEGRATION

Turnover times vary at the different scales of a technological system: years for boilers, engines, and consumer products (technologies); decades for building envelopes, cars, capital equipment (technological clusters); centuries for buildings, roads, industrial organisations (infrastructures) [6] .

Short-lived, fast-learning, rapidly-diffusing technologies at the lower levels of the hierarchy allow for rapid improvement within more slowly changing contexts. How technologies integrate into systems and access infrastructure strongly conditions the impact of granularity. Accommodating large numbers of granular technologies may require infrastructure expansion, upgrade, or replacement. Infrastructure change which is large, costly, indivisible, and system-wide requires massive centralised direction and investment and imposes high switching costs (e.g., piped H₂ through gas networks, long-distance DC electricity transmission). But infrastructure change may also be incremental and modular (e.g., EV-charging stations, solar farms, energy-efficient windows).

POLITICAL ECONOMY

Increasing alignment over time between incumbent firms and regulatory frameworks is an institutional characteristic of lock-in [6]. Throughout the 20th century development of the energy system, this has favoured lumpiness. High upfront costs, non-divisible risks, and high consequences of failure in more lumpy technologies reinforce the rationale for public policy to underwrite returns, collectivise risks, or protect market positions. Publicly-directed innovation efforts historically have also been strongly skewed towards the centralised energy supply . More lumpy technologies are also attractive politically as they demonstrate commitment and materiality (mobilisation of human, financial and physical resources) [15].

In comparison, heat pumps, rolls of insulation, EV charging points, smart meters, rooftop solar modules and shared 'taxi-buses' are heterogeneous and dispersed throughout the built environment. Coalitions of actors are concentrated in particular sectors like consumer electronics, automotive manufacturing, or power generation. As well as weakening the political economic influence of more granular technologies in low-carbon transformation [15], it also makes them less analytically tractable as the functions they serve vary so widely.

More recently, however, a confluence of factors including market liberalisation, technological innovation, and digitalisation, has strengthened political economic support for granularity . More granular energy technologies vary in scale, have more heterogeneous applications , and involve a greater diversity of firms and users through which the legitimacy of new technologies is established and resistance from incumbent actors counteracted . By enabling smaller increments of capital investment, more granular technologies de-risk R&D portfolios and open up markets to the destabilising force of new entrants .

CONCLUSIONS

Under certain conditions more granular technologies are empirically associated with faster diffusion, lower investment risk, faster learning, more opportunities to escape lock-in, more equitable access, more job creation, and higher social returns on innovation investment. In combination these advantages enable rapid change. Unit scale in physical or cost terms is a readily-available criterion for helping evaluate whether net-zero emission pathways, clean energy R&D portfolios, industrial strategies, and technology demonstration programmes can deliver near-term decarbonisation. Governments, firms, investors, and civil society organisations seeking to accelerate progress on decarbonisation should include granularity as a criteria for designing mitigation strategies, targeting policy support, funding R&D investments, and supporting low-carbon innovation. More granular technologies could then be assessed against emission-reduction objectives in light of infrastructural, technological, political economic and other conditions. Scientists also need to explicitly account for granularity in scenarios and evidence assessments which often prominently feature large-scale solutions, and in modelling tools and analysis which are often scale-free. Diverse portfolios of more granular technologies are not a universal solution, but in many different contexts they outperform lumpy alternatives as a means of accelerating low-carbon transformation to meet global climate targets.

REFERENCES (MAX. 15)

1. IEA, World Energy Outlook. 2019, Paris, France: International Energy Agency.
2. Lovins, A., et al., Small is Profitable: The Hidden Economic Benefits of Making Electrical Resources the Right Size. 2003, Snowmass, CO: Rocky Mountain Institute.
3. Jain, R.K., J. Qin, and R. Rajagopal, Data-driven planning of distributed energy resources amidst socio-technical complexities. *Nature Energy*, 2017. 2: p. 17112.
4. Mansfield, E., Industrial research and technological innovation. 1968, New York: Norton.
5. Sovacool, B.K., A. Gilbert, and D. Nugent, An international comparative assessment of construction cost overruns for electricity infrastructure. *Energy Research & Social Science*, 2014. 3: p. 152-160.
6. Seto, K.C., et al., Carbon Lock-In: Types, Causes, and Policy Implications. *Annual Review of Environment and Resources*, 2016. 41(1): p. 425-452.

7. Blyth, W., et al., Low carbon jobs: The evidence for net job creation from policy support for energy efficiency and renewable energy. 2014, UK Energy Research Centre (UKERC): London, UK.
8. NRC, Energy Research at DoE: Was it Worth It? Energy Efficiency and Fossil Energy Research 1978-2000. 2001, Committee on Benefits of DoE R&D on Energy Efficiency and Fossil Energy, National Research Council (NRC): Washington, DC.
9. Alstone, P., D. Gershenson, and D.M. Kammen, Decentralized energy systems for clean electricity access. *Nature Clim. Change*, 2015. 5(4): p. 305-314.
10. Grubler, A., et al., A Low Energy Demand Scenario for Meeting the 1.5oC Target and Sustainable Development Goals without Negative Emission Technologies. *Nature Energy*, 2018. 3: p. 515-527.
11. Allwood, J.M., et al., Industry 1.61803: the transition to an industry with reduced material demand fit for a low carbon future. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 2017. 375(2095).
12. Blind, K., The Impact of Standardization and Standards on Innovation, in NESTA Working Paper Series. 2013, NESTA: Manchester.
13. Kavlak, G., J. McNerney, and J.E. Trancik, Evaluating the causes of cost reduction in photovoltaic modules. *Energy Policy*, 2018. 123: p. 700-710.
14. McNerney, J., J. Doyne Farmer, and J.E. Trancik, Historical costs of coal-fired electricity and implications for the future. *Energy Policy*, 2011. 39(6): p. 3042-3054.
15. Moe, E., *Renewable Energy Transformation or Fossil Fuel Backlash: Vested Interests in the Political Economy*. 2016: Springer.